

DOMINION BUREAU OF STATISTICS

Health and Welfare Division

Vital Statistics Section

## CAUSES OF DEATH, CANADA

---

Provinces by Sex and Canada by Sex and Age

1967

(Detailed Categories of the International Classification of Diseases)

*Published by Authority of*  
The Minister of Industry, Trade and Commerce

December 1969  
9004-533

Price: \$1.50

The Queen's Printer, Ottawa



## INTRODUCTION

The official vital statistics of Canada are published by the Dominion Bureau of Statistics in two main annual reports, *Vital Statistics* (Catalogue Nos. 84-201 and 84-202) which commenced in 1921. Two publications, *Causes of Death, Canada, 1950-60*, (Catalogue No. 84-514) and *Causes of Death, Canada, 1958-64*, (Catalogue No. 84-519), copies of which are still available, supplemented the Annual Reports for the period 1950-64 by presenting more detailed information on causes of death each year. Whereas the Annual Reports for these years contain data on deaths according to the International Intermediate List A of 150 causes, the above two compilations provided a finer breakdown of figures according to the three-digit categories and four-digit subcategories of the *International Statistical Classification of Diseases, Injuries and Causes of Death*, Sixth Revision, 1948 and Seventh Revision, 1955, which were put into effect in 1950 and 1958, respectively.

This is the third publication expanding the two previous publications into a regular annual series entitled *Causes of Death*, showing the current year's deaths by the three-digit categories and four-digit subcategories, by sex for the provinces, and by sex and five-year age groups for Canada. The present publication does not list all categories of the International Classification since some categories for which there were no deaths in 1967 have been excluded. Furthermore, the full category titles of the International Classification have been shortened in some cases for convenience of publication.

For the convenience of users desiring to calculate rates, estimated mid-year populations for the provinces by sex and for Canada by sex and age group are given below.

**Population for Provinces by Sex and Canada by Sex and Age, 1967**  
Population (000's)

Province	Male	Female	Age	Male	Female	Age	Male	Female
Nfld. ....	255.5	244.5	<b>Totals</b> .....	<b>10,247.8</b>	<b>10,157.2</b>	40-44 yrs. ....	637.1	641.5
P.E.I. ....	55.2	53.8	- 1yr. ....	189.8	181.1	45-49 " .....	555.8	563.4
N.S. ....	380.6	376.4	1- 4 yrs. ....	900.4	851.8	50-54 " .....	505.7	501.9
N.B. ....	311.5	308.5	5- 9 " .....	1,184.0	1,136.3	55-59 " .....	426.1	418.2
Que. ....	2,929.5	2,938.5	10-14 " .....	1,100.2	1,049.9	60-64 " .....	339.0	343.3
Ont. ....	3,573.2	3,575.8	15-19 " .....	967.4	941.0	65-69 " .....	260.0	282.7
Man. ....	483.6	479.4	20-24 " .....	778.4	781.9	70-74 " .....	200.0	233.2
Sask. ....	489.7	468.3	25-29 " .....	649.4	650.5	75-79 " .....	140.5	167.0
Alta. ....	758.8	731.2	30-34 " .....	635.0	616.0	80-84 " .....	81.4	99.9
B.C. ....	986.2	960.8	35-39 " .....	653.0	635.3	85 + " .....	44.6	62.3
Yukon. ....	8.2	6.8						
N.W.T. ....	15.8	13.2						

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	<b>ALL CAUSES</b> .....	T. 150,283 M. 88,300 F. 61,983	3,117	1,038	6,638	4,894	38,665	54,878	7,629	7,441	9,523	16,170	73	217
			1,830	603	3,829	2,851	22,474	31,694	4,549	4,678	5,895	9,720	49	128
			1,287	435	2,809	2,043	16,191	23,184	3,080	2,763	3,628	6,450	24	89
	<b>I. Infective and parasitic diseases</b> .....	M. 722 F. 409	24	3	40	17	277	200	32	29	42	57	-	1
			6	2	17	18	133	114	23	21	29	38	-	8
	<b>Tuberculosis of respiratory system (001-008).</b>	M. 430 F. 181	12	-	25	12	211	94	17	10	23	26	-	-
			3	-	6	12	86	35	9	8	8	9	-	5
001	Respiratory tuberculosis with mention of occupational disease of lung.	M. 24 F. -	-	-	4	-	6	10	1	-	1	2	-	-
002	Pulmonary tuberculosis .....	M. 399 F. 180	11	-	21	12	203	84	14	10	20	24	-	-
			3	-	6	12	85	35	9	8	8	9	-	5
A	Active .....	M. 315 F. 127	10	-	12	11	181	52	9	4	19	17	-	-
			1	-	4	8	76	20	3	-	6	5	-	4
B	Inactive .....	M. 84 F. 53	1	-	9	1	22	32	5	6	1	7	-	-
			2	-	2	4	9	15	6	8	2	4	-	1
003	Pleural tuberculosis .....	M. 2 F. -	1	-	-	-	-	-	-	-	1	-	-	-
.0	Pleurisy specified as tuberculous .....	M. 1 F. -	1	-	-	-	-	-	-	-	-	-	-	-
.1	Pleurisy with effusion without mention of cause.	M. 1 F. -	-	-	-	-	-	-	-	-	1	-	-	-
004	Primary tuberculosis complex with symptoms.	M. 1 F. -	-	-	-	-	-	-	-	-	1	-	-	-
005	Tracheobronchial glandular tuberculosis with symptoms.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
007	Other respiratory tuberculosis .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
008	Tuberculosis, unspecified site .....	M. 4 F. 1	-	-	-	-	2	-	2	-	-	-	-	-
A	Active .....	M. 4 F. 1	-	-	-	-	2	-	2	-	-	-	-	-
			-	-	-	-	1	-	-	-	-	-	-	-
B	Inactive.....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
	<b>Tuberculosis, other forms (010-019)</b> .....	M. 25 F. 22	1	-	-	-	5	8	5	3	1	2	-	-
			-	-	2	-	7	7	2	-	1	2	-	1
010	Tuberculosis of meninges and central nervous system.	M. 5 F. 5	-	-	1	-	3	2	1	1	-	-	-	1
011	Tuberculosis of intestines, peritoneum, and mesenteric glands.	M. 1 F. 1	-	-	-	-	1	-	1	-	-	-	-	-
012	Tuberculosis of bones and joints, active or unspecified.	M. - F. 1	-	-	-	-	-	-	-	-	-	-	-	-
.0	Vertebral column .....	M. - F. 1	-	-	-	-	1	-	-	-	-	-	-	-
.1	Hip .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other unspecified bones and joints .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
013	Late effects of tuberculosis of bones and joints.	M. - F. 1	-	-	-	-	-	1	-	-	-	-	-	-
.0	Vertebral column .....	M. - F. 1	-	-	-	-	-	1	-	-	-	-	-	-
.1	Late effects of tuberculosis of hip .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
014	Tuberculosis of skin and subcutaneous cellular tissue.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.2	Lupus .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other tuberculosis of skin and subcutaneous cellular tissue.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
015	Tuberculosis of lymphatic system .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
016	Tuberculosis of genito-urinary system .....	M. 10 F. 8	-	-	1	-	1	6	-	1	1	1	-	-
			-	-	-	-	2	3	1	-	1	-	-	-











Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>Other bacterial diseases - Concluded:</b>														
061	Tetanus..... M.	4	-	-	-	-	-	2	1	-	-	1	-	-	
	F.	1	-	-	-	1	-	-	-	-	-	-	-	-	
063	Gas gangrene..... M.	2	-	-	-	-	1	1	-	-	-	-	-	-	
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	
064	Other bacterial diseases..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Other..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Spirochaetal diseases, except syphilis (070-074).</b>														
	M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
070	Vincent's infection..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
072	Leptospirosis..... M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Other and unspecified..... M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Diseases attributable to viruses (080-096).</b>														
	M.	117	2	1	5	3	28	43	6	5	8	15	-	1	
	F.	117	1	-	7	3	20	40	10	7	12	16	-	1	
080	Acute poliomyelitis..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Specified as bulbar or polio-encephalitis.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	With other paralysis..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Unspecified..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
081	Late effects of acute poliomyelitis..... M.	12	-	-	1	-	4	2	3	2	-	-	-	-	
	F.	7	-	-	2	-	2	2	1	-	-	-	-	-	
082	Acute infectious encephalitis..... M.	18	1	-	-	-	3	9	-	-	4	1	-	-	
	F.	18	1	-	-	1	4	9	-	-	2	1	-	-	
.0	Arthropod-borne encephalitis..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Lymphocytic choriomeningitis..... M.	3	-	-	-	-	-	2	-	-	1	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Lethargic encephalitis..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Other and unspecified infectious encephalitis..... M.	15	1	-	-	-	3	7	-	-	3	1	-	-	
	F.	18	1	-	-	1	4	9	-	-	2	1	-	-	
083	Late effects of acute infectious encephalitis..... M.	8	-	-	1	1	1	3	-	1	-	1	-	-	
	F.	4	-	-	1	-	1	2	-	-	-	-	-	-	
.0	Postencephalitic Parkinsonism..... M.	4	-	-	1	1	-	1	-	1	-	-	-	-	
	F.	4	-	-	1	-	1	2	-	-	-	-	-	-	
.1	Postencephalitic personality and character disorders..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Postencephalitic psychosis..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Other postencephalitic conditions..... M.	4	-	-	-	-	1	2	-	-	-	1	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
085	Measles..... M.	15	-	-	-	2	3	5	-	2	1	2	-	-	
	F.	30	-	-	-	-	7	5	7	4	5	1	-	1	
.0	Without mention of pneumonia..... M.	4	-	-	-	-	1	2	-	1	-	-	-	-	
	F.	12	-	-	-	-	5	2	2	1	2	-	-	-	
.1	With pneumonia..... M.	11	-	-	-	2	2	3	-	1	1	2	-	-	
	F.	18	-	-	-	-	2	3	5	3	3	1	-	1	
086	Rubella (German measles)..... M.	2	-	-	-	-	-	2	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
087	Chickenpox..... M.	6	-	-	-	-	2	1	2	-	-	1	-	-	
	F.	7	-	-	2	-	1	2	-	-	2	-	-	-	
088	Herpes zoster..... M.	1	-	-	-	-	1	-	-	-	-	-	-	-	
	F.	5	-	-	-	-	-	3	1	-	1	-	-	-	
089	Mumps..... M.	3	-	-	1	-	1	1	-	-	-	-	-	-	
	F.	1	-	-	-	-	-	1	-	-	-	-	-	-	
092	Infectious hepatitis..... M.	42	1	1	1	-	10	18	-	-	2	8	-	1	
	F.	34	-	-	2	1	2	12	-	1	2	14	-	-	







Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>II. Neoplasms</b>	M. 15,674 F. 12,650	301 228	87 88	642 556	434 394	4,300 3,643	5,535 4,543	850 632	750 542	1,015 742	1,738 1,270	9 2	13 10	
	Malignant neoplasm of buccal cavity and pharynx (140-148).	M. 443 F. 133	8 4	3 -	15 4	10 4	171 25	144 57	18 9	11 6	21 7	32 17	- -	- -	
140	Lip	M. 41 F. 1	- -	1 -	1 -	4 -	23 -	7 -	2 1	- -	2 -	1 -	- -	- -	
.0	Upper lip	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
.1	Lower lip	M. 26 F. -	- -	- -	1 -	4 -	18 -	1 -	1 -	- -	- -	1 -	- -	- -	
.8	Both lips	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
.9	Lip, unspecified (including commissure)	M. 13 F. 1	- -	1 -	- -	- -	3 -	6 -	1 1	- -	2 -	- -	- -	- -	
141	Tongue	M. 96 F. 35	3 -	- -	1 1	3 1	38 6	34 17	1 1	3 1	6 2	7 6	- -	- -	
.0	Base of tongue	M. 14 F. 4	- -	- -	- -	- -	10 2	2 -	- -	- 1	1 1	1 -	- -	- -	
.7	Other specified parts of tongue	M. 1 F. 2	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 1	- -	- -	
.8	Multiple parts of tongue	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.9	Part unspecified	M. 81 F. 29	3 -	- -	1 1	3 1	28 4	32 17	1 -	3 -	5 1	5 5	- -	- -	
142	Salivary gland	M. 33 F. 21	- 1	- -	1 1	1 -	14 4	13 9	- -	1 3	2 2	1 1	- -	- -	
.0	Parotid gland	M. 29 F. 15	- 1	- -	1 1	1 -	14 1	9 7	- -	1 2	2 2	1 1	- -	- -	
.7	Other salivary gland	M. 2 F. 3	- -	- -	- -	- -	- 2	2 -	- -	- 1	- -	- -	- -	- -	
.8	Multiple salivary glands	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.9	Gland unspecified	M. 2 F. 3	- -	- -	- -	- -	1 2	2 2	- -	- -	- -	- -	- -	- -	
143	Floor of mouth	M. 24 F. 11	- -	- -	1 -	- 1	10 3	12 3	- 2	- -	- 1	1 1	- -	- -	
144	Other parts of mouth and mouth unspecified.	M. 62 F. 19	1 -	- -	4 -	1 -	18 4	25 10	6 -	1 -	- 1	6 4	- -	- -	
145	Oral mesopharynx	M. 57 F. 12	1 -	- -	1 1	- -	27 3	15 7	3 -	3 -	1 1	6 -	- -	- -	
.0	Tonsil (excluding pillars)	M. 49 F. 12	1 -	- -	1 1	- -	25 3	14 7	3 -	- -	- 1	5 -	- -	- -	
.7	Other specified parts of mesopharynx	M. 3 F. -	- -	- -	- -	- -	- -	- -	- -	2 -	1 -	- -	- -	- -	
.8	Multiple parts of mesopharynx	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
.9	Part unspecified	M. 4 F. -	- -	- -	- -	- -	1 -	1 -	- -	1 -	- -	1 -	- -	- -	
146	Nasopharynx	M. 19 F. 11	- -	1 -	- -	- 1	3 2	3 4	3 -	1 -	4 -	4 4	- -	- -	
147	Hypopharynx	M. 22 F. 8	- -	- -	- -	- 1	6 1	9 3	1 3	1 -	1 -	4 -	- -	- -	
148	Pharynx, unspecified	M. 79 F. 15	3 3	1 -	6 1	1 -	32 2	26 4	2 2	1 2	5 -	2 1	- -	- -	
	Malignant neoplasm of digestive organs and peritoneum (150-159).	M. 5,718 F. 4,506	133 93	36 34	250 207	167 149	1,577 1,340	1,974 1,570	298 225	266 196	378 260	631 430	3 -	5 2	
150	Oesophagus	M. 352 F. 128	9 2	- 2	17 6	3 2	89 26	146 52	19 11	10 3	22 8	36 16	- -	1 -	
151	Stomach	M. 1,704 F. 889	58 35	15 5	79 30	43 45	505 277	503 260	92 49	100 50	115 55	193 83	- -	1 -	
152	Small intestine, including duodenum	M. 44 F. 42	1 -	1 -	1 2	2 3	8 8	10 15	4 2	4 -	7 3	6 9	- -	- -	
.0	Duodenum	M. 16 F. 9	- -	1 -	- 1	- -	2 2	4 3	2 -	2 -	3 -	2 3	- -	- -	
.7	Other specified parts of small intestine	M. 14 F. 18	- -	- -	1 1	2 1	1 2	2 5	2 2	2 -	3 2	1 5	- -	- -	
.8	Multiple parts of small intestine	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.9	Part unspecified	M. 14 F. 15	1 -	- -	- -	- 2	5 4	4 7	- -	- -	1 1	3 1	- -	- -	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
117	11579	9977	7950	9569	11656	9181	111124	184305	373581	613786	1,0201,030	1,5471,279	1,9291,376	2,2571,474	2,3361,622	2,1481,506	1,5431,200	1,007888	-	M. F.
-	1	-	22	1	2	1	13	41	35	178	2614	5417	5210	6311	5713	6119	5214	3715	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	1	2	4	3	7	7	5	111	-	M. 140
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	5	4	7	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	3	2	-	31	-	M. F.
-	-	-	1	-	-	-	-	1	5	4	142	111	181	134	168	106	3	9	-	M. 141
-	-	-	-	-	-	-	-	1	1	1	2	1	2	3	4	2	-	11	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	1	-	-	-	-	1	4	4	122	101	161	94	125	106	2	7	-	M. F.
-	-	-	-	-	-	-	1	1	1	3	3	13	42	81	21	63	7	11	-	M. 142
-	-	-	-	-	-	-	-	1	1	3	3	1	2	1	5	1	3	1	-	M. F.
-	-	-	-	-	-	-	-	1	1	2	1	3	4	8	2	1	5	1	-	M. F.
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	M. F.
-	-	-	-	-	-	-	1	-	1	2	5	3	2	7	2	3	1	1	-	M. 143
-	-	-	-	-	-	1	-	-	-	3	2	5	5	6	8	13	7	12	-	M. F.
-	-	-	1	-	-	-	-	2	-	-	1	1	1	2	4	3	2	3	-	M. F.
-	-	-	-	-	-	-	-	1	-	2	7	10	10	3	12	4	6	2	-	M. 145
-	-	-	-	-	-	-	-	1	-	2	1	3	3	2	2	-	1	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	2	5	7	8	3	11	4	6	2	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	M. F.
-	1	-	1	-	1	-	1	-	1	2	1	2	4	2	2	2	-	1	-	M. 146
-	-	-	-	-	-	-	-	-	-	1	3	3	3	4	3	3	1	1	-	M. 147
-	-	-	-	1	1	-	-	1	1	3	4	12	9	12	8	7	15	5	-	M. 148
-	-	-	1	-	-	-	1	-	-	2	3	2	1	1	1	1	1	1	-	M. F.
31	42	22	2	54	123	1412	2119	4855	11197	191164	346271	546382	724436	834557	902687	899724	636610	420478	-	M. F.
-	-	-	-	-	-	-	-	3	3	15	17	39	44	47	54	65	29	36	-	M. 150
-	-	-	-	-	-	-	-	2	2	6	6	6	18	14	25	21	17	11	-	M. F.
-	-	-	-	-	1	4	5	15	26	51	106	153	219	268	269	270	189	128	-	M. 151
-	-	-	-	-	-	3	8	13	18	33	42	67	57	110	137	146	145	110	-	M. F.
-	-	-	-	-	-	-	-	1	3	1	2	7	5	8	5	8	2	2	-	M. 152
-	-	-	-	-	-	-	-	2	1	3	4	4	5	5	7	6	6	1	-	M. F.
-	-	-	-	-	-	-	-	1	1	1	1	2	3	1	1	4	1	1	-	M. F.
-	-	-	-	-	-	-	-	1	-	1	1	3	1	5	1	1	1	-	-	M. F.
-	-	-	-	-	-	-	-	1	1	-	1	2	4	2	2	3	3	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	3	3	-	1	-	M. F.
-	-	-	-	-	-	-	-	1	-	3	2	1	-	2	4	1	1	-	-	M. F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
<b>Malignant neoplasm of digestive organs and peritoneum - Concluded:</b>														
153	Large intestine, except rectum .....	M. 1,466 F. 1,749	28 28	7 11	74 94	46 59	389 548	547 627	77 80	58 60	87 93	152 148	-	1 1
.0	Caecum, appendix, and ascending colon	M. 225 F. 287	3 4	3 2	11 19	18 20	33 56	96 121	10 11	12 12	20 17	19 25	-	-
.1	Transverse colon, including hepatic and splenic flexures.	M. 97 F. 115	2 2	- 1	4 4	5 8	25 30	39 43	4 5	5 4	4 7	8 10	-	1 1
.2	Descending colon .....	M. 55 F. 85	- 2	1 -	2 2	1 6	14 20	25 36	2 2	2 6	4 5	4 6	-	-
.3	Sigmoid colon .....	M. 340 F. 395	5 3	- 2	11 15	14 18	124 152	115 140	20 21	8 5	15 15	28 24	-	-
.7	Multiple parts of large intestine .....	M. 11 F. 12	- -	- -	- -	- -	1 5	8 6	- -	- -	1 -	2 -	-	-
.8	Large intestine (including colon, part unspecified).	M. 577 F. 596	14 13	3 6	33 37	6 3	118 125	226 236	37 38	27 28	36 36	77 74	-	-
.9	Intestinal tract, part unspecified .....	M. 161 F. 259	4 4	- -	13 17	2 4	74 160	38 45	4 3	4 5	8 12	14 9	-	-
154	Rectum .....	M. 747 F. 488	11 12	4 4	27 16	20 15	199 131	290 189	35 18	32 19	51 31	76 52	2	-
155	Biliary passages and of liver .....	M. 311 F. 380	7 8	1 1	9 15	12 3	77 105	109 138	17 25	14 20	19 23	44 42	1	1
.0	Liver .....	M. 150 F. 87	2 3	1 -	2 5	8 -	42 29	52 29	4 5	6 3	7 6	25 7	-	1
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater.	M. 161 F. 292	5 5	- 1	7 10	4 3	35 75	57 109	13 20	8 17	12 17	19 35	1	-
.8	Multiple sites .....	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	-	-
156	Liver (secondary and unspecified) .....	M. 131 F. 148	1 1	- 4	5 6	8 4	63 65	33 39	8 5	3 3	3 7	7 9	-	-
157	Pancreas .....	M. 864 F. 571	15 6	7 7	38 30	32 15	208 122	300 223	45 33	38 33	71 34	109 68	-	1
158	Peritoneum .....	M. 44 F. 53	- -	1 -	- 7	- -	14 20	17 15	1 2	6 1	2 5	3 3	-	-
159	Unspecified digestive organs .....	M. 55 F. 58	3 1	- -	- 1	1 3	25 38	19 12	- -	1 2	1 1	5 -	-	-
<b>Malignant neoplasm of respiratory system (160-165).</b>														
		M. 3,998 F. 682	67 15	16 3	162 35	88 9	1,028 184	1,539 243	229 40	153 27	227 42	479 79	4 2	6 3
160	Nose, nasal cavities, middle ear, and accessory sinuses.	M. 35 F. 12	1 -	- -	1 1	- -	11 3	10 5	5 1	2 1	2 -	3 1	-	-
.0	Nose (internal) and nasal cavities .....	M. 7 F. 1	1 -	- -	- -	- -	3 -	1 -	1 -	- -	1 -	-	-	-
.1	Eustachian tube and middle ear .....	M. 2 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	-	-
.2	Maxillary sinus .....	M. 16 F. 9	- -	- -	1 1	- -	6 2	4 4	1 1	1 1	1 -	2 -	-	-
.7	Other specified sinus (accessory) .....	M. 7 F. 1	- -	- -	- -	- -	- -	4 1	2 -	1 -	- -	- -	-	-
.8	Multiple sites .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-
.9	Site unspecified .....	M. 3 F. 1	- -	- -	- -	- -	2 1	- -	1 -	- -	- -	- -	-	-
161	Larynx .....	M. 203 F. 24	7 -	2 -	10 1	6 -	67 13	71 7	8 1	6 1	15 -	11 1	-	-
162	Bronchus and trachea and of lung specified as primary.	M. 3,571 F. 581	44 12	11 1	143 28	77 7	916 162	1,381 198	211 37	138 23	186 37	456 72	2	6
.0	Trachea .....	M. 11 F. 5	- 1	- -	1 -	- -	2 1	6 2	- -	1 -	1 -	-	-	-
.1	Bronchus and lung .....	M. 3,550 F. 567	44 11	11 1	142 28	77 6	909 156	1,372 193	211 37	137 23	184 37	455 71	2	6
.2	Pleura .....	M. 7 F. 9	- -	- -	- -	- -	2 5	3 3	- -	- -	1 -	1 1	-	-
.8	Multiple sites .....	M. 3 F. -	- -	- -	- -	- -	- -	3 -	- -	- -	- -	- -	-	-
163	Lung unspecified as to whether primary or secondary.	M. 129 F. 37	14 3	3 2	5 3	5 1	18 4	49 13	2 -	3 1	23 5	5 4	2	-
164	Mediastinum .....	M. 25 F. 7	- -	- -	2 2	- -	15 1	4 3	2 1	1 -	- -	1 -	-	-
165	Thoracic organs (secondary) .....	M. 35 F. 21	1 -	- -	1 -	- 1	1 1	24 17	1 -	3 1	1 -	3 1	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	1	1	3	1	4	8	14	32	44	93	138	166	183	226	238	187	129	-	M. 153
-	-	-	-	-	-	3	5	20	36	65	109	147	185	215	248	277	239	198	-	F.
-	-	-	-	1	-	1	2	-	3	6	16	18	17	30	32	38	34	27	-	M. .0
-	-	-	-	-	-	2	-	3	3	7	16	16	27	34	41	58	48	42	-	F.
-	-	-	-	-	-	4	4	4	3	1	8	8	16	10	15	13	12	3	-	M. .1
-	-	-	-	-	-	1	4	8	4	4	9	14	10	12	19	15	11	8	-	F.
-	-	-	-	-	1	-	-	1	1	2	2	2	6	6	9	10	10	5	-	M. .2
-	-	-	-	-	-	-	-	2	2	3	12	9	7	10	12	7	9	12	-	F.
-	-	-	-	-	-	2	-	1	7	10	17	39	39	46	49	64	41	25	-	M. .3
-	-	-	-	-	-	-	1	6	7	17	34	44	47	40	57	59	57	26	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	1	-	1	-	M. .7
-	-	-	-	-	-	1	-	1	-	1	1	1	2	3	-	1	1	-	-	F.
-	-	-	-	2	-	1	2	5	16	19	42	59	69	68	92	85	68	49	-	M. .8
-	-	-	1	-	1	2	4	11	29	37	46	63	82	80	90	75	75	49	-	F.
-	-	-	-	-	-	-	-	3	2	6	8	11	17	22	24	27	22	19	-	M. .9
-	-	1	-	-	-	-	-	1	4	4	10	17	29	34	39	47	38	35	-	F.
-	-	-	-	-	5	4	5	2	19	20	40	66	103	97	136	124	81	45	-	M. 154
-	-	-	-	-	1	2	3	10	16	19	38	50	45	67	66	66	54	51	-	F.
2	2	2	-	1	1	1	1	3	4	10	13	35	36	52	56	41	36	15	-	M. 155
1	1	-	-	1	2	-	1	3	9	11	14	30	48	50	64	67	46	33	-	F.
2	2	2	-	1	1	1	1	1	-	4	6	18	18	32	29	16	14	4	-	M. .0
-	1	-	-	1	2	-	1	2	5	1	4	9	11	9	10	11	5	13	-	F.
-	-	-	-	-	-	-	-	2	4	6	9	17	18	20	27	25	22	11	-	M. .1
-	-	-	-	-	-	-	-	1	4	10	8	21	37	41	54	55	41	20	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	1	-	-	1	-	6	8	18	8	17	21	24	11	16	-	-	M. 156
-	-	-	-	-	1	4	1	1	3	2	15	15	11	18	25	17	21	14	-	F.
-	-	1	-	-	1	1	2	4	21	37	61	79	129	150	129	117	92	41	-	M. 157
-	-	-	-	-	-	-	-	3	11	20	37	59	60	69	92	104	69	46	-	F.
1	2	-	-	1	2	-	-	2	1	4	3	5	5	6	2	5	1	4	-	M. 158
1	1	-	1	2	-	-	1	-	1	1	4	6	2	5	11	7	5	1	-	F.
-	-	-	-	-	-	-	-	3	2	3	6	9	6	4	7	8	4	4	-	M. 159
-	-	-	-	-	-	-	-	1	-	2	3	1	2	4	12	13	8	14	-	F.
-	2	1	1	1	2	1	11	23	97	188	350	518	649	724	681	414	245	90	-	M. F.
1	-	-	-	-	1	2	2	14	25	38	78	92	94	94	86	74	57	24	-	F.
-	1	1	1	-	-	-	1	-	2	5	-	5	4	5	6	2	-	-	-	M. 160
-	-	-	1	1	-	-	-	-	1	-	-	2	-	-	1	-	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. .0
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	1	-	2	1	-	2	-	2	2	4	1	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	1	-	-	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	1	-	8	8	21	24	32	30	22	25	20	12	-	-	M. 161
-	-	-	-	-	-	-	-	-	-	4	1	5	5	1	3	4	1	-	-	F.
-	-	-	-	-	1	1	8	21	85	163	310	472	586	657	625	365	206	71	-	M. 162
-	-	-	-	-	1	2	2	10	23	32	84	81	81	81	73	63	47	15	-	F.
-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	-	-	-	-	M. .0
-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	1	8	21	85	161	309	469	582	654	619	365	206	70	-	M. .1
-	-	-	-	-	-	2	2	10	23	31	63	82	80	79	72	63	47	14	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	1	-	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	1	-	-	1	2	1	8	12	12	20	23	19	14	12	4	-	M. 163
-	-	-	-	-	-	-	-	1	2	3	5	4	3	5	6	4	1	3	-	F.
-	1	-	-	-	1	-	-	-	1	4	3	2	4	5	-	2	1	1	-	M. 164
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	4	3	3	4	9	6	4	2	-	M. 165
-	-	-	-	-	-	-	-	1	-	-	2	1	2	3	3	1	5	1	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>Malignant neoplasm of breast and genitourinary organs (170-181).</b>	<b>M. 2,532 F. 5,071</b>	<b>34 71</b>	<b>20 31</b>	<b>99 212</b>	<b>88 159</b>	<b>654 1,479</b>	<b>869 1,890</b>	<b>152 231</b>	<b>151 182</b>	<b>176 299</b>	<b>288 513</b>	<b>1</b>	<b>- 4</b>	
170	Breast .....	M. 19 F. 2,645	- 31	1 15	- 100	- 85	5 775	9 970	1 122	- 101	1 155	2 288	- -	- 3	
171	Cervix uteri .....	F. 652	16	2	40	24	204	247	18	18	31	51	-	1	
172	Corpus uteri .....	F. 227	-	2	9	7	28	138	13	1	9	20	-	-	
173	Other parts of uterus, including chorionepithelioma.	F. 5	-	-	-	-	3	2	-	-	-	-	-	-	
174	Uterus, unspecified .....	F. 213	5	3	1	5	143	14	20	12	9	1	-	-	
175	Ovary, Fallopian tube, and broad ligament	F. 801	11	4	36	26	186	316	33	33	61	95	-	-	
.0	Ovary .....	F. 789	11	4	35	26	183	312	32	32	60	94	-	-	
.1	Fallopian tube and broad ligament .....	F. 10	-	-	1	-	2	4	1	-	1	1	-	-	
.8	Multiple sites .....	F. 1	-	-	-	-	-	-	-	1	-	-	-	-	
.9	Site unspecified .....	F. 1	-	-	-	-	1	-	-	-	-	-	-	-	
176	Other and unspecified female genital organs.	F. 106	1	1	2	5	41	31	4	4	7	10	-	-	
.0	Vulva .....	F. 54	-	1	2	2	16	17	2	3	3	8	-	-	
.1	Vagina .....	F. 33	1	-	-	2	10	11	2	1	4	2	-	-	
.7	Other specified sites .....	F. 1	-	-	-	-	1	-	-	-	-	-	-	-	
.8	Multiple sites .....	F. -	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Site unspecified .....	F. 18	-	-	-	1	14	3	-	-	-	-	-	-	
177	Prostate .....	M. 1,456	13	8	61	47	390	456	88	99	99	194	1	-	
178	Testis .....	M. 74	2	-	3	-	12	31	4	5	7	10	-	-	
179	Other and unspecified male genital organs	M. 21	-	-	1	2	2	11	1	2	1	1	-	-	
.0	Penis .....	M. 20	-	-	1	2	1	11	1	2	1	1	-	-	
.1	Scrotum .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Other specified sites .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Multiple sites .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Site unspecified .....	M. 1	-	-	-	-	1	-	-	-	-	-	-	-	
180	Kidney .....	M. 404 F. 196	3 3	5 4	9 15	12 7	113 41	151 66	31 12	20 10	33 15	27 23	-	-	
181	Bladder and other urinary organs .....	M. 558 F. 226	16 4	6 -	25 9	27 -	132 58	211 106	27 9	25 3	35 12	54 25	-	-	
.0	Bladder .....	M. 550 F. 221	16 3	6 -	25 9	26 -	131 57	208 104	27 8	25 3	33 12	53 25	-	-	
.7	Other urinary organs .....	M. 8 F. 5	- 1	- -	- -	1 -	1 1	3 2	- 1	- -	2 -	1 -	-	-	
.8	Multiple sites .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	
	<b>Malignant neoplasm of other and unspecified sites (190-199).</b>	<b>M. 1,303 F. 1,040</b>	<b>29 27</b>	<b>7 9</b>	<b>59 47</b>	<b>33 41</b>	<b>375 296</b>	<b>452 324</b>	<b>56 58</b>	<b>84 71</b>	<b>85 64</b>	<b>121 103</b>	<b>1</b>	<b>1</b>	
190	Malignant melanoma of skin .....	M. 112 F. 84	1 -	- -	6 3	6 4	23 19	50 34	4 5	8 7	9 2	5 10	-	-	
.0	Lips .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	
.1	Eyelids, including canthi .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	
.2	Ear and external auricular canal .....	M. 4 F. -	- -	- -	- -	- -	1 -	3 -	- -	- -	- -	- -	-	-	
.3	Other and unspecified parts of face .....	M. 5 F. 9	- -	- -	1 -	- 1	- -	2 8	- -	1 -	1 -	- -	-	-	
.4	Scalp and neck .....	M. 4 F. 3	1 -	- -	- 1	1 -	- -	1 1	1 -	- -	- 1	- 1	-	-	
.5	Trunk .....	M. 30 F. 17	- -	- -	- -	1 -	5 3	22 8	- 1	1 2	1 -	- 3	-	-	
.6	Upper limb .....	M. 11 F. 12	- -	- -	1 -	1 -	1 3	7 5	- -	- -	1 1	3 2	-	-	
.7	Lower limb .....	M. 17 F. 20	- -	- -	- -	1 1	3 5	7 9	- 2	1 1	1 -	4 2	-	-	
.8	Multiple sites .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	
.9	Site unspecified .....	M. 41 F. 23	- -	- -	4 2	2 2	13 8	8 3	3 2	5 4	6 1	- 1	-	-	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
-	9	3	1	7	13	17	10	16	29	41	78	140	214	318	408	477	428	323	-	M.
-	5	8	3	8	10	23	56	180	345	449	560	623	615	574	573	448	347	244	-	F.
-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	3	2	2	5	-	M. 170
-	-	-	-	-	1	5	29	115	200	271	334	352	322	282	266	197	153	118	-	F.
-	-	-	-	1	-	8	19	39	69	74	84	82	73	56	53	45	34	15	-	F. 171
-	-	-	-	-	-	-	-	2	1	5	13	24	28	52	42	34	19	7	-	F. 172
-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	F. 173
-	1	-	-	-	-	1	1	1	9	12	13	22	26	24	39	36	13	15	-	F. 174
-	1	1	3	4	4	8	3	18	59	70	92	110	110	92	95	63	43	25	-	F. 175
-	1	1	3	4	4	8	3	18	58	68	92	108	106	91	94	62	43	25	-	F. .0
-	-	-	-	-	-	-	-	-	1	2	-	2	3	1	-	1	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F. .9
-	-	-	-	1	1	-	-	1	-	2	7	8	13	11	16	14	20	12	-	F. 176
-	-	-	-	-	-	-	-	-	-	2	4	3	6	10	8	13	8	-	-	F. .0
-	-	-	-	-	1	-	-	1	-	1	3	3	6	5	4	2	4	3	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .8
-	-	-	-	1	-	-	-	-	-	1	2	1	4	-	2	3	3	1	-	F. .9
-	1	-	-	-	-	-	1	-	-	8	11	50	91	164	259	319	324	228	-	M. 177
-	-	-	-	5	13	14	6	10	10	1	3	3	2	-	2	3	1	1	-	M. 178
-	-	-	-	-	-	-	-	1	2	1	2	2	5	-	2	3	2	1	-	M. 179
-	-	-	-	-	-	-	-	1	2	1	2	2	5	-	2	2	2	1	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. .9
-	7	3	1	2	-	2	2	4	14	24	40	42	52	63	57	50	25	16	-	M. 180
-	3	6	-	2	4	-	3	4	2	10	12	14	25	32	26	26	17	10	-	F.
-	1	-	-	-	-	1	1	1	3	6	19	43	63	89	85	100	74	72	-	M. 181
-	1	1	-	-	-	-	-	-	4	4	5	11	18	25	35	33	48	42	-	F.
-	1	-	-	-	-	1	1	1	3	6	18	43	62	87	82	100	74	71	-	M. .0
-	-	1	-	-	-	-	-	-	4	4	4	10	18	25	32	33	48	42	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	-	1	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
4	39	28	27	33	30	18	24	44	61	85	129	147	129	122	134	113	74	62	-	M.
5	23	25	22	28	15	18	16	22	55	47	75	94	124	114	111	101	78	67	-	F.
-	-	-	-	1	3	3	7	6	9	12	15	13	6	9	14	7	4	3	-	M. 190
-	1	-	-	-	3	3	2	7	4	9	7	9	6	10	7	5	6	5	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	M. .3
-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	2	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	M. .4
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	F.
-	1	-	-	-	1	1	4	2	5	2	4	4	-	3	3	1	-	-	-	M. .5
-	-	-	-	-	1	1	1	3	-	2	2	1	-	1	2	-	1	1	-	F.
-	-	-	-	-	-	1	-	1	-	1	1	2	1	-	2	1	1	-	-	M. .6
-	-	-	-	-	1	1	-	1	-	1	1	1	1	1	-	2	1	1	-	F.
-	-	-	-	1	1	-	1	2	-	2	1	1	1	-	3	2	1	1	-	M. .7
-	-	-	-	-	-	1	-	2	-	2	1	1	2	2	4	2	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	1	1	-	1	2	3	6	5	6	4	3	5	1	2	1	-	M. .9
-	-	-	-	1	1	-	1	2	2	4	2	2	2	5	-	3	2	1	-	F.





Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
<b>Malignant neoplasm of other and unspecified sites - Concluded:</b>														
196	Bone .....	M. 114	1	-	7	2	49	35	1	4	6	9	-	-
		F. 73	3	2	4	2	30	13	3	2	6	8	-	-
.0	Bones of the skull and face .....	M. 14	1	-	-	-	7	6	-	-	-	-	-	-
		F. 7	-	-	1	-	3	-	-	-	1	2	-	-
.1	Lower jaw bone .....	M. 20	-	-	2	-	11	6	-	-	1	-	-	-
		F. 8	-	1	-	-	2	2	-	-	1	2	-	-
.2	Vertebral column(excluding sacrum and coccyx).	M. 11	-	-	2	-	6	-	-	2	-	1	-	-
		F. 5	-	-	-	-	3	-	1	1	-	-	-	-
.3	Ribs, sternum, and clavicle .....	M. 6	-	-	-	-	2	2	-	-	2	-	-	-
		F. 5	-	-	-	-	3	1	-	-	-	1	-	-
.4	Long bones of upper limb, and scapula	M. 5	-	-	1	-	1	3	-	-	-	-	-	-
		F. 4	-	-	-	1	1	1	-	-	1	-	-	-
.5	Upper limb, short bones .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.6	Pelvic bones, sacrum, coccyx .....	M. 15	-	-	-	-	2	7	1	1	1	3	-	-
		F. 8	1	1	1	-	4	1	-	-	-	-	-	-
.7	Lower limb, long bones .....	M. 25	-	-	-	1	8	10	-	1	1	4	-	-
		F. 21	1	-	1	1	8	5	-	1	2	2	-	-
.8	Lower limb, short bones .....	M. 3	-	-	-	-	2	1	-	-	-	-	-	-
		F. 3	-	-	-	-	2	1	-	-	-	-	-	-
.9	Multiple sites and site unspecified .....	M. 15	-	-	2	1	10	-	-	-	1	1	-	-
		F. 12	1	-	1	-	4	2	2	-	1	1	-	-
197	Connective tissue .....	M. 56	-	-	2	1	10	26	2	3	4	8	-	-
		F. 52	2	-	-	5	11	14	3	4	4	9	-	-
.0	Head, face, and neck .....	M. 3	-	-	-	-	1	2	-	-	-	-	-	-
		F. 1	-	-	-	1	-	-	-	-	-	-	-	-
.1	Trunk .....	M. 15	-	-	-	-	2	8	1	1	-	3	-	-
		F. 14	1	-	-	2	2	1	1	1	-	6	-	-
.2	Upper limb (including shoulder) .....	M. 7	-	-	-	-	2	3	-	-	-	2	-	-
		F. 8	-	-	-	-	1	5	-	1	1	-	-	-
.3	Lower limb (including hip) .....	M. 17	-	-	-	-	2	8	-	1	3	3	-	-
		F. 13	-	-	-	1	3	4	-	1	2	2	-	-
.8	Multiple sites .....	M. 1	-	-	-	-	-	1	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified .....	M. 13	-	-	2	1	3	4	1	1	1	-	-	-
		F. 16	1	-	-	1	5	4	2	1	1	1	-	-
198	Secondary and unspecified malignant neoplasm of lymph nodes.	M. 12	-	-	1	1	2	7	-	-	1	-	-	-
		F. 7	-	-	-	1	1	5	-	-	-	-	-	-
.0	Head, face, and neck .....	M. 7	-	-	-	1	1	5	-	-	-	-	-	-
		F. 5	-	-	-	1	1	3	-	-	-	-	-	-
.1	Intrathoracic .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.2	Intra-abdominal .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. 1	-	-	-	-	-	1	-	-	-	-	-	-
.3	Axillary and upper limb .....	M. 2	-	-	-	-	1	-	-	-	1	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.4	Inguinal and lower limb .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other specified sites .....	M. 2	-	-	-	-	-	2	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.8	Multiple sites .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified .....	M. 1	-	-	1	-	-	-	-	-	-	-	-	-
		F. 1	-	-	-	-	-	1	-	-	-	-	-	-
199	Other and unspecified sites .....	M. 336	15	2	24	10	85	100	16	33	22	28	1	-
		F. 325	13	5	23	9	79	91	25	30	26	24	-	-
	Neoplasms of lymphatic and haematopoietic tissues (200 - 205).	M. 1,531	25	4	47	43	443	506	89	77	119	177	-	1
		F. 1,060	12	10	39	29	274	410	60	51	61	114	-	-
200	Lymphosarcoma and reticulosarcoma .....	M. 361	4	-	12	9	101	129	25	18	23	39	-	1
		F. 262	4	4	11	8	59	104	17	12	14	29	-	-
.0	Reticulum-cell sarcoma .....	M. 123	1	-	2	3	42	41	10	5	10	9	-	-
		F. 76	2	3	3	3	16	26	6	4	6	7	-	-
.1	Lymphosarcoma .....	M. 194	2	-	9	5	48	69	15	13	12	21	-	-
		F. 145	1	1	7	3	31	61	9	8	7	17	-	-
.2	Other primary malignant neoplasms of lymphoid tissue.	M. 44	1	-	1	1	11	19	-	-	1	9	-	1
		F. 41	1	-	1	2	12	17	2	-	1	5	-	-











Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>Diseases of other endocrine glands—</b>														
	<b>Concluded:</b>														
272	Diseases of pituitary gland .....	M. 14 F. 11	—	—	2	1	2	7	1	—	—	1	—	—	
273	Diseases of thymus gland .....	M. 12 F. 4	—	—	4	—	—	5	1	—	2	—	—	—	
274	Diseases of adrenal glands .....	M. 14 F. 18	—	2	1	1	4	3	2	1	1	2	—	—	
277	Polyglandular dysfunction and other diseases of endocrine glands.	M. 5 F. 10	—	—	—	1	2	—	1	—	1	—	—	—	
	<b>Avitaminoses, and other metabolic diseases (280-289).</b>	M. 139 F. 122	5	—	6	3	50	48	4	5	8	8	—	2	
280	Beriberi .....	M. 1 F. —	—	—	—	—	—	—	—	—	—	1	—	—	
281	Pellagra .....	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—	
282	Scurvy .....	M. 1 F. —	—	—	—	—	—	1	—	—	—	—	—	—	
283	Active rickets .....	M. 2 F. —	—	—	—	—	2	—	—	—	—	—	—	—	
284	Late effects of rickets .....	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—	
285	Osteomalacia .....	M. — F. 3	—	—	1	—	1	—	1	—	—	—	—	—	
286	Other avitaminoses and nutritional deficiency states.	M. 30 F. 31	2	—	1	2	2	10	3	1	3	4	—	2	
.0	<i>Steatorrhoea and sprue</i> .....	M. 7 F. 4	—	—	1	2	2	—	—	1	—	2	—	—	
.5	<i>Malnutrition, unqualified</i> .....	M. 21 F. 25	2	—	1	—	—	8	3	—	3	2	—	2	
.6	<i>Kwashiorkor (protein malnutrition)</i> .....	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—	
.7	<i>Other and multiple deficiency states</i> ..	M. 2 F. 2	—	—	1	—	—	2	—	—	—	1	—	—	
287	Obesity, not specified as of endocrine origin.	M. 48 F. 47	—	—	1	—	29	14	—	3	1	—	—	—	
288	Gout .....	M. 12 F. —	—	—	1	—	5	4	1	—	—	1	—	—	
289	Other metabolic diseases .....	M. 45 F. 41	3	—	3	1	12	19	—	1	4	2	—	—	
.0	<i>Lipidosis (disturbance of lipid metabolism).</i>	M. 7 F. 13	1	—	1	—	—	5	—	—	—	—	—	—	
.1	<i>Amyloidosis</i> .....	M. 9 F. 8	—	—	—	—	1	5	—	1	2	—	—	—	
.2	<i>Other</i> .....	M. 29 F. 20	2	—	2	1	11	9	—	—	2	2	—	—	
	<b>IV. Diseases of the blood and blood-forming organs.</b>	M. 274 F. 259	6	1	10	10	84	91	18	15	24	15	—	—	
	<b>Diseases of blood and blood-forming organs (290-299).</b>	M. 274 F. 259	6	1	10	10	84	91	18	15	24	15	—	—	
290	Pernicious and other hyperchromic anaemias.	M. 22 F. 39	—	—	1	1	7	6	2	3	1	1	—	—	
.0	<i>Pernicious anaemia</i> .....	M. 19 F. 34	—	—	1	1	6	4	2	3	1	1	—	—	
.1	<i>Subacute combined degeneration of spinal cord.</i>	M. — F. 1	—	—	—	—	—	—	—	—	—	1	—	—	
.2	<i>Other hyperchromic anaemias</i> .....	M. 3 F. 4	—	—	—	—	1	2	—	—	—	—	—	—	
291	Iron deficiency anaemias (hypochromic anaemias).	M. 5 F. 15	—	—	—	—	1	2	1	—	—	—	—	—	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	1	-	-	1	-	-	2	1	1	1	-	1	2	-	4	2	-	-	M. 272
-	-	-	1	-	-	-	1	1	2	1	-	-	1	2	2	1	-	-	-	F.
11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 273
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
2	-	-	1	2	-	1	-	1	-	3	3	1	1	1	1	1	-	-	-	M. 274
-	-	1	-	-	-	-	-	1	2	2	1	1	4	1	2	1	1	1	-	F.
-	1	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	M. 277
-	1	-	-	-	-	-	-	-	2	-	1	-	2	-	1	1	-	-	-	F.
13	5	4	2	-	1	-	1	5	8	7	8	18	10	20	14	8	10	5	-	M. F.
9	6	3	5	3	-	1	1	4	2	7	7	10	8	11	13	11	11	10	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. 280
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 281
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 282
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 283
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 284
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	M. 285
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
3	1	-	-	-	-	-	-	-	2	-	1	3	2	5	3	3	4	3	-	M. 286
2	1	-	1	-	-	-	-	-	-	-	1	4	3	3	2	1	5	8	-	F.
3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	M. .0
2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	2	-	-	3	2	4	1	3	3	3	-	M. .5
-	1	-	1	-	-	-	-	-	-	-	-	3	2	2	2	1	5	8	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	F.
-	-	-	-	-	-	-	-	3	5	3	5	9	3	6	8	2	4	-	-	M. 287
-	-	-	-	-	-	-	1	3	2	3	5	3	3	3	10	7	5	2	-	F.
-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	2	1	1	2	-	M. 288
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
10	4	2	2	-	1	-	1	1	1	3	1	5	4	6	1	2	1	-	-	M. 289
7	5	3	4	3	-	1	-	1	-	4	-	3	2	4	1	2	1	-	-	F.
2	1	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	M. .0
3	2	-	3	1	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	-	2	-	-	-	M. .1
-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	1	1	-	-	-	F.
8	3	2	-	-	1	-	1	-	1	2	1	2	3	3	1	-	1	-	-	M. .2
4	3	3	1	2	-	1	-	-	-	2	-	-	2	1	-	-	1	-	-	F.
12	11	3	4	3	4	1	3	1	10	5	11	12	20	30	22	47	42	33	-	M. F.
5	5	2	8	1	6	4	2	2	6	5	10	11	11	20	32	39	38	52	-	F.
12	11	3	4	3	4	1	3	1	10	5	11	12	20	30	22	47	42	33	-	M. F.
5	5	2	8	1	6	4	2	2	6	5	10	11	11	20	32	39	38	52	-	F.
-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	3	7	7	-	M. 290
-	-	-	-	-	-	2	-	-	-	-	-	-	3	-	5	8	5	13	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	7	6	-	M. .0
-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	5	6	5	12	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	M. 291
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	4	4	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence													
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.		
	<b>Diseases of blood and blood-forming organs - Concluded:</b>															
292	Other anaemias of specified type .....	M. F.	81 55	3 -	1 -	3 4	3 -	12 15	35 23	5 1	3 4	8 3	8 5	-	-	-
.0	<i>Familial acholuric jaundice</i> .....	M. F.	3 3	- -	- -	1 -	- -	- 2	2 1	- -	- -	- -	- -	-	-	-
.1	<i>Acute haemolytic anaemia</i> .....	M. F.	3 -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	1 -	-	-	-
.2	<i>Other haemolytic anaemias</i> .....	M. F.	6 -	- -	- -	- -	- -	- -	4 -	- -	- -	1 -	1 -	-	-	-
.3	<i>Leuko-erythroblastic anaemia</i> .....	M. F.	22 10	1 -	- -	1 1	2 -	2 5	7 2	2 -	1 1	2 -	4 1	-	-	-
.4	<i>Aplastic anaemia</i> .....	M. F.	42 37	2 -	1 -	1 3	1 -	8 7	18 18	3 1	2 2	4 3	2 3	-	-	-
.5	<i>Nonregenerative anaemia</i> .....	M. F.	1 1	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	-	-	-
.6	<i>Sickle cell anaemia</i> .....	M. F.	1 1	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	- -	-	-	-
.7	<i>Other specified anaemias</i> .....	M. F.	3 3	- -	- -	- -	- -	- -	2 1	- -	- 1	1 -	1 1	-	-	-
293	Anaemia of unspecified type .....	M. F.	67 70	2 -	- -	2 2	5 -	31 37	19 24	3 1	3 2	2 2	- 2	-	-	-
294	Polycythaemia .....	M. F.	31 18	- -	- -	1 2	- -	9 -	11 10	3 1	2 2	4 1	1 2	-	-	-
295	Haemophilia .....	M. F.	4 -	1 -	- -	- -	- -	1 -	2 -	- -	- -	- -	- -	-	-	-
296	Purpura and other haemorrhagic conditions	M. F.	20 31	- -	- -	- 1	- -	3 9	6 10	1 2	1 -	5 2	4 7	-	-	-
297	Agranulocytosis .....	M. F.	9 9	- -	- -	1 -	- -	2 4	3 -	- -	1 1	2 1	- 3	-	-	-
298	Diseases of spleen .....	M. F.	21 12	- -	- -	2 -	- -	14 6	2 2	1 -	1 -	- 1	1 3	-	-	-
.0	<i>Hepatosplenic fibrosis</i> .....	M. F.	16 9	- -	- -	2 -	- -	11 5	- 1	1 -	1 -	- 1	1 2	-	-	-
.1	<i>Other</i> .....	M. F.	5 3	- -	- -	- -	- -	3 1	2 1	- -	- -	- -	1 1	-	-	-
299	Other diseases of blood and blood-forming organs.	M. F.	14 10	- -	- -	- 1	1 -	4 1	5 5	2 1	- -	2 2	- -	-	-	-
	<b>V. Mental, psychoneurotic, and personality disorders.</b>	M. F.	343 200	3 5	4 1	8 8	9 5	94 70	132 64	8 12	10 9	24 6	40 19	- 1	- -	1 -
	<b>Psychoses (300-309)</b> .....	M. F.	92 83	- 2	1 -	4 3	3 1	30 31	29 35	2 2	6 2	4 3	12 4	- -	- -	1 -
300	Schizophrenic disorders (dementia praecox).	M. F.	8 10	- -	- -	1 -	1 -	5 5	1 3	- -	- -	- 1	- 1	-	-	-
.0	<i>Simple type</i> .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	-
.1	<i>Hebephrenic type</i> .....	M. F.	1 1	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	-	-	-
.2	<i>Catatonic type</i> .....	M. F.	- 3	- -	- -	- -	- -	- -	- 2	- -	- -	- 1	- -	-	-	-
.3	<i>Paranoid type</i> .....	M. F.	1 2	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- -	-	-	-
.4	<i>Acute schizophrenic reaction</i> .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	-
.6	<i>Schizo-affective psychosis</i> .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	-
.7	<i>Other and unspecified</i> .....	M. F.	6 4	- -	- -	1 -	1 -	3 2	1 1	- -	- -	- -	1 -	-	-	-
301	Manic-depressive reaction .....	M. F.	2 3	- -	- -	- -	- -	1 1	1 2	- -	- -	- -	- -	-	-	-
.0	<i>Manic and circular</i> .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-	-
.1	<i>Depressive</i> .....	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	-	-	-
.2	<i>Other</i> .....	M. F.	1 3	- -	- -	- -	- -	1 1	- 2	- -	- -	- -	- -	-	-	-
302	Involuntional melancholia .....	M. F.	1 2	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- -	-	-	-







Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>VI. Diseases of the nervous system and sense organs.</b>	M. 8,422 F. 8,631	242 215	65 67	429 450	250 304	1,917 1,972	3,027 3,215	477 412	468 399	600 525	932 1,062	4 1	11 9	
	Vascular lesions affecting central nervous system (330-334).	M. 7,551 F. 7,898	226 192	59 62	397 415	225 283	1,611 1,740	2,784 2,994	434 374	410 369	549 470	848 995	4 1	4 3	
330	Subarachnoid haemorrhage .....	M. 368 F. 413	5 5	3 2	13 18	5 10	96 91	148 154	23 30	13 17	17 19	45 67	- -	- -	
331	Cerebral haemorrhage .....	M. 3,846 F. 4,016	136 114	34 41	241 255	138 153	563 708	1,481 1,583	248 195	244 207	301 266	453 491	4 1	3 2	
332	Cerebral embolism and thrombosis .....	M. 2,483 F. 2,450	55 47	14 10	112 96	58 88	744 703	843 866	111 97	110 98	170 130	266 314	- -	- 1	
333	Spasm of cerebral arteries .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
334	Other and ill-defined vascular lesions affecting central nervous system.	M. 854 F. 1,019	30 26	8 9	31 46	24 32	208 238	312 391	52 52	43 47	61 55	84 123	- -	1 -	
	<b>Inflammatory diseases of central nervous system (340-345).</b>	M. 214 F. 217	5 7	3 -	12 11	8 7	61 62	60 65	10 13	13 9	9 15	26 23	- -	7 5	
340	Meningitis, except meningococcal and tuberculous.	M. 85 F. 65	- 1	1 -	6 5	3 3	22 20	20 16	4 4	6 2	3 3	13 7	- -	7 4	
.0	<i>H. influenzae</i> .....	M. 8 F. 5	- -	- -	- -	1 -	1 -	3 3	- -	1 2	- -	2 -	- -	- -	
.1	<i>Pneumococcus</i> .....	M. 16 F. 13	- -	- -	3 -	- -	- 4	7 8	- 1	2 -	1 -	3 -	- -	- -	
.2	Due to other specified organism .....	M. 5 F. 8	- -	- -	1 -	- -	1 1	2 3	- -	1 -	- -	1 1	- -	2 -	
.3	With no organism specified as cause ....	M. 56 F. 39	- 1	1 -	3 4	2 3	20 15	8 2	4 3	2 -	2 3	7 6	- -	7 2	
341	Phlebitis and thrombophlebitis of intracranial venous sinuses.	M. 1 F. 1	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	- -	- -	- -	
342	Intracranial and intraspinal abscess .....	M. 22 F. 9	1 -	1 -	1 1	1 1	4 2	8 3	2 -	- 1	1 1	3 -	- -	- -	
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious).	M. 15 F. 9	- -	- -	- -	1 -	5 2	6 5	1 -	1 1	- -	1 1	- -	- -	
344	Late effects of intracranial abscess or pyogenic infection.	M. 22 F. 16	2 3	- -	- 1	1 -	3 5	10 4	- 2	3 -	1 1	2 -	- -	- -	
A	<i>Hydrocephalus NOS</i> .....	M. 8 F. 7	2 3	- -	- 1	1 -	2 1	2 1	- 1	1 -	- -	- -	- -	- -	
B	Late effects .....	M. 14 F. 9	- -	- -	- -	- -	1 4	8 3	- 1	2 -	1 1	2 -	- -	- -	
345	Multiple sclerosis .....	M. 69 F. 117	2 3	1 -	5 4	2 3	26 33	16 36	3 7	3 5	4 10	7 15	- -	1 1	
	<b>Other diseases of central nervous system (350-357).</b>	M. 594 F. 485	10 15	3 5	19 24	16 10	210 154	169 149	33 25	43 20	38 39	53 43	- -	- 1	
350	Paralysis agitans .....	M. 171 F. 160	2 5	- 2	5 7	3 3	65 46	44 51	10 8	11 6	11 12	20 20	- -	- -	
351	Cerebral spastic infantile paralysis .....	M. 66 F. 48	3 3	- 1	1 1	- -	36 26	14 10	2 1	1 2	- -	9 4	- -	- -	
352	Other cerebral paralysis .....	M. 62 F. 50	2 1	- -	- 1	4 2	27 22	19 16	2 2	3 -	5 5	- 1	- -	- -	
353	Epilepsy .....	M. 134 F. 86	2 3	1 -	3 3	6 2	49 32	31 24	5 2	16 6	11 8	10 5	- -	1 1	
.0	<i>Petit mal</i> .....	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	
.1	<i>Grand mal</i> .....	M. 17 F. 6	- -	- -	- 1	- -	7 -	5 4	1 -	2 1	2 -	- -	- -	- -	
.2	<i>Status epilepticus</i> .....	M. 18 F. 12	1 -	- -	1 -	2 -	7 4	4 6	- -	- -	2 -	1 2	- -	- -	
.3	Other and unspecified .....	M. 99 F. 67	1 3	1 -	2 2	4 2	35 28	22 14	4 2	14 5	7 7	9 3	- -	- 1	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																Not stated	Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79			80-84	85 +
87 72	71 45	36 23	37 30	43 27	44 19	30 29	46 37	75 61	103 105	158 162	268 224	374 267	631 469	845 651	1,109 1,067	1,557 1,540	1,465 1,674	1,443 2,129	- -	M. F.
4 7	4 2	3 5	8 6	8 7	16 8	17 16	29 22	51 45	84 77	123 129	226 184	314 217	564 423	776 593	1,040 1,000	1,472 1,462	1,408 1,613	1,404 2,082	- -	M. F.
2 -	- 2	- 2	4 4	6 4	10 6	13 11	12 15	29 23	42 38	38 54	56 53	47 45	27 51	28 25	22 37	17 28	9 12	6 3	- -	M. F.
1 7	- -	2 1	4 2	2 2	5 1	3 2	16 5	16 16	31 32	64 58	113 103	161 119	303 245	417 361	543 558	764 723	711 801	690 980	- -	M. F.
1 -	- -	1 1	- -	1 -	- -	2 -	- -	4 4	8 5	16 14	48 21	88 45	193 100	264 144	356 302	535 520	487 566	482 723	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
- -	4 -	- 1	- -	- -	1 -	1 1	1 1	2 2	3 2	5 3	9 7	18 8	41 27	67 63	119 103	156 191	201 234	226 376	- -	M. F.
42 27	19 20	12 8	9 4	7 3	4 1	1 5	5 7	9 11	7 15	22 21	12 24	15 22	21 17	8 10	6 9	12 9	3 3	- 1	- -	M. F.
34 23	13 15	5 5	3 2	1 -	2 -	- -	- -	2 1	1 -	4 1	4 4	3 1	4 3	2 3	1 3	5 2	1 1	- 1	- -	M. F.
1 2	5 2	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
3 5	- -	2 -	- 2	- -	- -	- -	- -	1 -	- -	1 1	2 -	1 1	4 1	- 1	1 -	1 1	- 1	- -	- -	M. F.
3 2	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 1	- 1	2 -	1 -	- -	- -	- -	M. F.
27 14	8 11	1 5	3 -	1 -	2 -	- -	- -	1 1	1 -	3 -	1 4	2 -	1 1	2 -	- 1	3 1	1 -	1 -	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	M. F.
1 -	2 -	1 1	1 -	3 2	1 -	- -	1 2	3 1	2 1	- -	1 1	1 -	2 -	- -	1 2	2 2	- -	- -	- -	M. F.
3 1	2 1	5 1	2 -	1 -	- -	1 -	1 -	3 -	- -	- -	- -	1 -	1 -	- 1	- -	- -	- -	- -	- -	M. F.
4 3	2 4	1 1	3 2	2 1	1 -	- -	- 1	1 -	- -	2 1	- 1	1 -	- -	- 1	- -	3 -	2 1	- -	- -	M. F.
3 2	1 3	1 1	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	M. F.
1 1	1 1	- -	3 2	2 1	1 -	- -	1 -	- -	- -	1 1	- -	1 -	- -	1 -	- -	3 -	1 1	- -	- -	M. F.
- -	- -	- -	- -	- -	1 5	5 4	3 7	4 13	16 19	7 17	10 20	15 14	5 5	4 6	2 5	- 1	- -	- -	- -	M. F.
15 22	39 21	21 8	20 19	28 17	22 10	11 8	11 8	14 5	11 13	12 11	29 15	41 27	44 27	58 47	58 58	72 67	52 57	36 45	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	11 2	19 8	24 16	27 29	44 37	28 42	13 23	- -	M. F.
5 9	25 17	9 3	11 9	5 3	2 3	1 1	3 -	1 1	- -	- 1	1 -	- -	1 -	- -	- -	1 -	- -	1 -	- -	M. F.
- -	- -	- -	- -	1 -	- -	- -	- -	- -	2 -	- -	1 -	2 -	3 3	8 7	12 8	12 13	14 9	10 6	- -	M. F.
3 3	10 1	8 4	8 9	17 8	16 6	10 6	6 5	9 2	3 8	7 4	9 6	10 4	4 3	2 9	- 2	4 3	4 1	4 2	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	M. F.
- -	- -	- -	1 1	4 1	- -	3 -	- -	1 -	- 1	- -	3 1	1 -	1 -	- -	- -	- 2	- -	1 2	- -	M. F.
1 -	1 -	3 1	1 -	4 -	3 -	- 1	- 2	2 1	2 2	1 1	2 1	1 -	- -	2 -	- -	- -	- -	- -	- -	M. F.
3 2	9 1	5 3	6 8	9 7	13 6	7 5	6 3	6 1	3 5	6 3	4 4	8 4	3 3	2 7	- 2	2 3	4 -	3 -	- -	M. F.







Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
26	9	-	-	-	2	1	1	1	1	-	1	3	1	2	2	-	-	1	-	M.
16	1	-	1	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 390
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
24	9	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	1	-	M. 391
15	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	F.
8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. .0
1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
16	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	M. .2
14	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	F.
2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	M. 392
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	M. .2
-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 394
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 395
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	M. 396
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	F.
6	6	3	9	18	37	60	84	317	794	1,392	2,316	3,090	3,954	4,311	4,931	5,360	4,817	4,806	4	M.
3	5	5	10	15	15	34	57	90	179	351	588	960	1,460	2,213	3,092	4,059	4,679	5,844	1	F.
-	1	-	3	1	-	1	-	1	2	-	-	1	-	1	1	-	-	-	-	M.
-	1	2	2	-	-	1	-	1	3	-	2	-	-	1	1	1	-	-	-	F.
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 400
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F.
-	1	-	3	1	-	1	-	1	2	-	-	1	-	1	1	-	-	-	-	M. 401
-	1	2	1	-	-	1	-	1	3	-	2	-	-	1	-	1	-	-	-	F.
-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	M. .0
-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	M. .1
-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	F.
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F.
-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	M. .3
-	1	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 402
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	1	3	4	8	7	12	13	33	56	59	76	80	70	35	34	26	22	-	M.
-	-	-	1	4	6	11	11	18	40	46	80	101	108	85	62	79	44	42	-	F.
-	-	-	1	2	6	4	5	7	18	28	31	35	40	29	17	15	13	16	-	M. 410
-	-	1	-	3	6	5	9	13	28	31	52	70	61	43	29	50	25	26	-	F.
-	-	-	1	-	1	2	3	2	5	10	6	16	8	3	5	4	2	1	-	M. 411
-	-	-	-	-	-	1	-	-	3	4	6	5	4	5	5	5	-	3	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 412
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence													
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.		
	<b>Chronic rheumatic heart disease - Concluded:</b>															
413	Diseases of pulmonary valve specified as M. rheumatic. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
414	Other endocarditis specified as rheumatic M. F.	31 37	2 -	1 1	1 -	3 2	5 6	9 12	1 4	3 5	2 3	4 4	- -	- -	- -	- -
415	Other myocarditis specified as rheumatic M. F.	7 4	- -	- -	- -	1 -	2 3	3 1	- -	- -	- -	1 -	- -	- -	- -	- -
416	Other heart disease specified as rheumatic M. F.	163 205	1 3	4 1	11 12	8 7	21 35	76 83	7 10	10 10	9 21	16 23	- -	- -	- -	- -
	<b>Arteriosclerotic and degenerative heart M. disease (420-422). F.</b>	<b>30,572 17,976</b>	<b>471 278</b>	<b>226 118</b>	<b>1,307 782</b>	<b>1,090 605</b>	<b>7,415 4,213</b>	<b>11,863 7,592</b>	<b>1,507 854</b>	<b>1,460 669</b>	<b>1,792 871</b>	<b>3,421 1,985</b>	<b>9 7</b>	<b>11 2</b>		
420	Arteriosclerotic heart disease, including M. coronary disease. F.	28,511 15,870	445 236	218 104	1,187 680	988 516	6,593 3,364	11,288 6,945	1,415 768	1,369 603	1,718 791	3,270 1,857	9 5	11 1		
.0	Arteriosclerotic heart disease so des- M. cribed. F.	3,829 4,068	45 48	22 22	137 162	126 127	525 614	1,867 2,132	134 131	170 121	181 150	618 559	2 1	2 1		
.1	Heart disease specified as involving M. coronary arteries. F.	24,624 11,775	400 187	196 82	1,049 517	859 389	6,029 2,731	9,414 4,809	1,280 637	1,197 482	1,536 641	2,648 1,296	7 4	9 -		
.2	Angina pectoris without mention of M. coronary disease. F.	58 27	- 1	- 1	1 -	3 -	39 19	7 4	1 -	2 -	1 4	4 2	- -	- -	- -	- -
421	Chronic endocarditis not specified as rheu- M. matic. F.	307 206	5 4	1 -	12 6	9 3	83 75	100 68	17 11	20 6	21 15	39 17	- 1	- -	- -	- -
.0	Of mitral valve, specified as nonrheu- M. matic. F.	17 36	- -	- -	- -	- -	10 23	4 5	- 1	3 1	- 2	- 4	- -	- -	- -	- -
.1	Of aortic valve, not specified as rheu- M. matic. F.	209 103	2 2	1 -	6 -	5 -	48 27	67 38	15 9	12 3	17 11	36 12	- 1	- -	- -	- -
.2	Of tricuspid valve, specified as non- M. rheumatic. F.	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
.3	Of pulmonary valve, not specified as M. rheumatic. F.	6 5	- -	- -	- -	- -	4 3	- 1	1 1	- -	1 -	- -	- -	- -	- -	- -
.4	Other and ill-defined, not specified as M. rheumatic. F.	74 62	3 2	- -	6 6	4 3	21 22	29 24	- -	5 2	3 2	3 1	- -	- -	- -	- -
422	Other myocardial degeneration M. F.	1,754 1,900	21 38	7 14	108 96	93 86	739 774	475 579	75 75	71 60	53 65	112 111	- 1	- 1	- -	- 1
.0	Fatty degeneration M. F.	- 3	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -
.1	With arteriosclerosis M. F.	996 1,182	14 24	4 10	77 65	57 61	340 393	309 418	53 52	41 34	33 39	68 84	- 1	- 1	- -	- -
.2	Other M. F.	758 715	7 14	3 4	31 30	36 25	399 381	166 160	22 23	30 26	20 26	44 26	- -	- -	- -	- -
	<b>Other diseases of heart (430-434) M. F.</b>	<b>1,238 1,048</b>	<b>34 44</b>	<b>2 8</b>	<b>70 63</b>	<b>52 34</b>	<b>280 256</b>	<b>371 331</b>	<b>71 67</b>	<b>167 82</b>	<b>92 72</b>	<b>96 87</b>	<b>1 1</b>	<b>2 3</b>		
430	Acute and subacute endocarditis M. F.	37 33	2 3	- -	1 1	1 2	9 8	9 6	4 2	1 1	2 3	8 7	- -	- -	- -	- -
.0	Acute and subacute bacterial endocardi- M. tis. F.	33 30	2 3	- -	1 1	1 2	8 5	8 6	4 2	1 1	1 3	7 7	- -	- -	- -	- -
.1	Other acute endocarditis M. F.	4 3	- -	- -	- -	- -	1 3	1 -	- -	- -	1 -	1 -	- -	- -	- -	- -
431	Acute myocarditis not specified as rheu- M. matic. F.	23 18	1 -	- -	2 -	- -	1 2	11 8	- 2	2 -	2 2	4 4	- -	- -	- -	- -
432	Acute pericarditis specified as nonrheu- M. matic. F.	7 -	- -	- -	- -	- -	- -	3 -	- -	2 -	- -	2 -	- -	- -	- -	- -
433	Functional disease of heart M. F.	335 321	11 6	- 3	16 7	12 7	126 133	96 106	11 9	18 10	18 15	27 25	- -	- -	- -	- -
.0	Heart block M. F.	135 97	7 4	- -	6 3	2 2	50 26	43 42	5 1	9 5	6 8	7 8	- -	- -	- -	- -
.1	Other disorders of heart rhythm M. F.	197 223	4 2	- 3	10 4	10 5	73 106	53 64	6 8	9 5	12 9	20 17	- -	- -	- -	- -
.2	Other functional diseases of heart M. F.	3 1	- -	- -	- -	- -	3 1	- -	- -	- -	- -	- -	- -	- -	- -	- -
434	Other and unspecified diseases of heart M. F.	836 676	20 35	2 5	51 55	39 25	144 113	252 211	56 54	144 71	70 52	55 51	1 1	2 1	1 1	2 3
.0	Kyphoscoliotic heart disease M. F.	4 13	- -	- -	- 1	1 -	- 2	1 5	- 1	- 1	1 1	1 2	- -	- -	- -	- -
.1	Congestive heart failure M. F.	504 463	15 22	1 3	42 42	23 22	19 24	168 169	37 42	104 55	60 43	34 39	- -	- -	1 2	- -
.2	Left ventricular failure M. F.	89 64	1 4	1 1	1 2	3 2	47 33	19 11	4 1	6 2	2 3	4 5	1 -	1 -	- -	- -
.3	Other disease of heart M. F.	20 16	- 1	- -	- 1	1 -	2 6	6 3	4 1	1 -	1 2	4 2	- -	- -	1 -	- -
.4	Unspecified disease of heart M. F.	219 120	4 8	- 1	8 9	11 1	76 48	58 23	11 9	33 13	6 3	12 3	1 1	1 1	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Age																			Int'l list No.	
-1 year	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 413
-	-	-	-	-	1	-	-	-	2	2	4	4	5	7	2	2	1	1	-	M. 414
-	-	-	1	-	-	3	-	-	1	-	3	6	6	6	3	3	3	2	-	F. 415
-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	1	-	-	-	M. 415
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	F. 416
-	-	-	-	2	-	1	4	3	8	16	18	19	27	29	11	12	9	4	-	M. 416
-	-	-	-	1	-	2	2	5	7	10	19	20	37	31	25	20	16	10	-	F. 416
1	2	1	2	6	15	35	62	280	693	1,231	2,110	2,750	3,484	3,740	4,246	4,466	3,840	3,608	4	M. F.
-	-	-	1	2	2	4	19	47	97	248	397	725	1,159	1,762	2,535	3,181	3,579	4,215	-	F. 420
-	-	-	1	1	11	25	50	267	670	1,204	2,055	2,665	3,364	3,589	4,029	4,135	3,415	3,026	4	M. 420
-	-	-	-	1	1	3	15	39	91	226	369	686	1,087	1,651	2,347	2,873	3,084	3,397	-	F. 420
-	-	-	-	-	-	-	-	3	8	17	57	100	204	297	479	710	874	1,085	1	M. .0
-	-	-	-	1	-	-	-	1	1	11	15	53	96	220	385	701	1,013	1,571	-	F. .0
-	-	-	1	1	11	25	50	264	662	1,186	1,992	2,563	3,152	3,290	3,542	3,417	2,533	1,932	3	M. .1
-	-	-	1	-	-	3	15	38	90	215	353	633	991	1,428	1,954	2,168	2,066	1,820	-	F. .1
-	-	-	-	-	-	-	-	-	-	1	6	2	8	8	8	8	8	9	-	M. .2
-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	8	4	5	6	-	F. .2
-	-	-	-	2	2	3	5	5	11	13	24	27	31	40	38	51	26	29	-	M. 421
-	-	-	-	-	-	-	1	3	2	7	13	12	20	19	31	30	35	33	-	F. 421
-	-	-	-	-	1	-	-	-	-	1	1	-	3	2	3	-	3	3	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	3	4	4	4	3	5	4	9	-	F. .0
-	-	-	-	2	-	3	5	3	8	8	20	25	19	29	21	35	14	17	-	M. .1
-	-	-	-	-	-	-	1	2	1	4	4	5	7	13	20	19	18	8	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	M. .3
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	F. .3
-	-	-	-	-	1	-	-	2	3	4	3	2	8	8	13	14	8	8	-	M. .4
-	-	-	-	-	-	-	-	-	-	3	6	3	9	2	7	5	13	14	-	F. .4
1	2	1	1	3	2	7	7	8	12	14	31	58	89	111	179	280	399	553	-	M. 422
-	-	-	-	1	1	1	3	5	4	15	15	27	52	92	157	278	460	785	-	F. 422
-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	1	3	12	17	38	52	93	166	248	-	M. .1
-	-	-	-	-	-	-	-	1	-	3	6	7	21	38	83	170	307	547	-	F. .1
1	2	1	1	3	2	7	7	8	12	11	19	41	51	59	86	114	151	186	-	M. .2
-	-	-	-	1	1	1	3	4	4	12	9	20	29	54	74	108	153	238	-	F. .2
5	4	3	1	4	8	6	2	9	16	34	35	67	101	117	152	194	214	266	-	M. 430
3	1	1	4	7	2	6	10	6	12	22	23	42	51	89	116	168	207	278	-	F. 430
-	-	2	-	1	1	3	-	2	2	6	-	2	5	4	4	4	2	-	-	M. 430
-	-	-	1	2	1	2	3	1	1	4	-	3	3	2	3	2	4	1	-	F. 430
-	-	2	-	-	1	3	-	2	2	5	-	2	5	4	4	2	1	-	-	M. .0
-	-	-	1	2	1	2	1	1	1	4	-	3	3	2	3	2	3	1	-	F. .0
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	2	1	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F. .1
1	3	1	1	1	3	1	2	-	-	1	3	1	-	-	2	1	-	3	-	M. 431
2	-	-	-	1	-	-	2	1	1	1	-	-	-	1	1	2	1	3	-	F. 431
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	M. 432
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 432
2	1	-	-	3	3	-	-	-	6	6	8	18	24	32	40	56	58	79	-	M. 433
1	-	1	-	2	1	3	3	2	3	6	5	13	15	33	32	49	57	95	-	F. 433
1	-	-	-	1	2	-	-	-	2	4	3	10	11	12	12	27	21	29	-	M. .0
1	-	-	-	1	1	1	1	-	1	2	2	4	3	9	8	11	16	37	-	F. .0
-	-	-	-	2	1	-	-	-	4	2	5	8	13	20	28	29	37	47	-	M. .1
-	-	1	-	2	-	2	2	2	2	4	3	9	12	24	24	38	41	57	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F. .2
2	1	-	1	-	1	2	-	7	8	20	24	46	70	80	104	132	154	184	-	M. 434
-	1	-	2	2	-	1	2	2	7	11	18	25	33	53	80	115	145	179	-	F. 434
-	-	-	1	1	-	1	-	-	-	2	-	-	3	-	1	-	-	-	-	M. .0
-	1	-	-	-	-	-	-	2	2	5	7	17	32	38	73	85	107	135	-	M. .1
-	1	-	-	1	-	-	-	1	2	6	7	10	20	31	45	82	116	141	-	F. .1
-	-	-	-	-	-	-	-	2	2	3	7	4	5	10	12	12	16	15	-	M. .2
-	-	-	-	-	-	-	-	-	2	-	-	4	2	7	17	11	7	14	-	F. .2
-	-	-	1	-	-	-	-	-	1	-	-	1	3	7	2	2	1	1	-	M. .3
1	-	-	-	-	1	1	-	3	3	10	9	24	30	25	17	32	30	33	-	M. .4
-	-	-	1	-	-	1	1	1	3	3	9	6	7	13	15	21	19	21	-	F. .4

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	<b>Hypertensive heart disease (440-443) ....</b>	<b>M. 923</b>	<b>27</b>	<b>11</b>	<b>36</b>	<b>34</b>	<b>298</b>	<b>294</b>	<b>32</b>	<b>50</b>	<b>33</b>	<b>108</b>	-	-
	<b>F. 1,264</b>	<b>26</b>	<b>18</b>	<b>49</b>	<b>35</b>	<b>491</b>	<b>411</b>	<b>39</b>	<b>67</b>	<b>37</b>	<b>91</b>	-	-	
440	Essential benign hypertensive heart disease.	M. -	-	-	-	-	-	-	-	-	-	-	-	-
	F. 1	-	-	-	-	-	-	1	-	-	-	-	-	-
441	Essential malignant hypertensive heart disease.	M. 10	-	-	-	-	3	5	-	1	-	1	-	-
	F. 6	-	-	-	-	3	3	-	-	-	-	-	-	-
442	Hypertensive heart disease with arteriolar nephrosclerosis.	M. 325	6	7	6	17	175	94	6	2	1	11	-	-
	F. 384	9	7	10	10	10	254	79	3	1	1	10	-	-
443	Other and unspecified hypertensive heart disease.	M. 588	21	4	30	17	120	195	26	47	32	96	-	-
	F. 873	17	11	39	25	234	329	35	66	36	81	-	-	
	<b>Other hypertensive disease (444-447) ....</b>	<b>M. 319</b>	<b>6</b>	<b>9</b>	<b>14</b>	<b>12</b>	<b>97</b>	<b>90</b>	<b>22</b>	<b>11</b>	<b>26</b>	<b>32</b>	-	-
	<b>F. 335</b>	<b>9</b>	<b>7</b>	<b>14</b>	<b>14</b>	<b>109</b>	<b>110</b>	<b>16</b>	<b>15</b>	<b>20</b>	<b>21</b>	-	-	
444	Essential benign hypertension .....	M. 92	2	2	8	3	25	34	1	2	7	8	-	-
	F. 168	4	3	10	11	54	57	8	7	7	7	-	-	
445	Essential malignant hypertension .....	M. 57	2	-	2	1	24	9	5	4	1	9	-	-
	F. 40	4	-	-	-	-	17	11	3	-	2	3	-	-
446	Hypertension with arteriolar nephrosclerosis.	M. 166	2	7	4	8	46	47	16	5	16	15	-	-
	F. 122	-	4	4	3	3	38	42	4	8	8	11	-	-
447	Other hypertensive disease without mention of heart.	M. 4	-	-	-	-	2	-	-	-	2	-	-	-
	F. 5	1	-	-	-	-	-	-	1	-	3	-	-	-
	<b>Diseases of arteries (450-456) .....</b>	<b>M. 2,279</b>	<b>43</b>	<b>13</b>	<b>106</b>	<b>74</b>	<b>534</b>	<b>803</b>	<b>132</b>	<b>157</b>	<b>149</b>	<b>267</b>	<b>1</b>	-
	<b>F. 1,909</b>	<b>27</b>	<b>14</b>	<b>132</b>	<b>66</b>	<b>66</b>	<b>462</b>	<b>726</b>	<b>102</b>	<b>101</b>	<b>112</b>	<b>167</b>	-	-
450	General arteriosclerosis .....	M. 1,368	30	10	73	50	373	436	82	98	88	127	1	-
	F. 1,505	23	10	106	57	57	408	544	80	80	80	117	-	-
.0	Without mention of gangrene .....	M. 1,234	28	9	69	45	334	389	73	95	79	112	1	-
	F. 1,413	23	10	98	56	56	390	507	74	75	71	109	-	-
.1	With mention of gangrene as a consequence.	M. 134	2	1	4	5	39	47	9	3	9	15	-	-
	F. 92	-	-	8	1	1	18	37	6	5	9	8	-	-
451	Aortic aneurysm nonsyphilitic, and dissecting aneurysm.	M. 742	11	2	20	19	126	305	42	46	49	122	-	-
	F. 269	2	3	17	7	7	33	121	16	12	21	37	-	-
452	Other aneurysm, except of heart and aorta	M. 27	-	-	2	-	7	12	-	2	2	2	-	-
	F. 22	-	-	2	-	-	7	10	1	1	1	-	-	-
453	Peripheral vascular disease .....	M. 24	2	1	2	2	6	3	2	1	1	4	-	-
	F. 11	-	-	1	-	-	2	5	1	1	-	1	-	-
.0	Raynaud's disease .....	M. 1	1	-	-	-	-	-	-	-	-	-	-	-
	F. 2	-	-	-	-	-	1	1	-	-	-	-	-	-
.1	Thrombo-angiitis obliterans .....	M. 11	1	-	-	1	5	-	2	-	-	2	-	-
	F. 1	-	-	-	-	-	-	-	-	-	-	1	-	-
.2	Chilblains .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-
	F. -	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other .....	M. 12	-	1	2	1	1	3	-	1	1	2	-	-
	F. 8	-	-	1	-	-	1	4	1	1	-	-	-	-
454	Arterial embolism and thrombosis .....	M. 61	-	-	3	1	13	26	5	3	5	5	-	-
	F. 42	1	-	1	1	1	3	27	2	2	2	3	-	-
455	Gangrene of unspecified cause .....	M. 16	-	-	4	1	3	2	-	5	-	1	-	-
	F. 12	-	1	4	-	-	3	2	1	1	-	-	-	-
456	Other diseases of arteries .....	M. 41	-	-	2	1	6	19	1	2	4	6	-	-
	F. 48	1	-	1	1	1	6	17	1	4	8	9	-	-
	<b>Diseases of veins and other diseases of circulatory system (460-468).</b>	<b>M. 434</b>	<b>10</b>	<b>4</b>	<b>19</b>	<b>13</b>	<b>52</b>	<b>151</b>	<b>51</b>	<b>43</b>	<b>40</b>	<b>51</b>	-	-
	<b>F. 374</b>	<b>8</b>	<b>2</b>	<b>21</b>	<b>9</b>	<b>9</b>	<b>60</b>	<b>150</b>	<b>40</b>	<b>29</b>	<b>26</b>	<b>29</b>	-	-
460	Varicose veins of lower extremities .....	M. 10	-	1	1	-	1	3	1	1	1	1	-	-
	F. 15	-	-	1	-	-	1	9	-	2	2	-	-	-
461	Haemorrhoids .....	M. 2	-	-	-	-	-	2	-	-	-	-	-	-
	F. 2	-	-	-	-	-	2	-	-	-	-	-	-	-
462	Varicose veins of other specified sites....	M. 17	1	-	1	1	3	5	1	2	1	2	-	-
	F. 13	-	-	3	2	2	3	4	-	1	-	-	-	-
.0	Varicocele .....	M. -	-	-	-	-	-	-	-	-	-	-	-	-
	F. -	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Varicose veins of oesophagus .....	M. 16	1	-	1	1	3	4	1	2	1	2	-	-
	F. 12	-	-	3	2	2	2	4	-	1	-	-	-	-
.2	Other .....	M. 1	-	-	-	-	-	1	-	-	-	-	-	-
	F. 1	-	-	-	-	-	1	-	-	-	-	-	-	-
463	Phlebitis and thrombophlebitis of lower extremities.	M. 48	-	-	1	-	13	19	-	1	2	12	-	-
	F. 46	-	-	-	-	-	9	21	-	3	6	7	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																	Int'l list No.			
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85 +	Not stated	
-	-	-	-	-	-	3	-	2	18	17	33	54	75	111	145	131	179	155	-	M.	
-	-	-	-	-	1	-	-	1	4	5	26	38	54	119	143	221	308	344	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. 440	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	2	4	-	1	1	1	-	-	-	-	-	-	M. 441
-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	5	2	2	5	23	23	49	46	87	82	-	-	M. 442
-	-	-	-	-	1	-	-	-	-	1	3	8	13	20	30	57	112	139	-	-	F.
-	-	-	-	-	-	-	-	2	-	2	-	48	51	87	96	85	91	73	-	-	M. 443
-	-	-	-	-	-	-	-	1	11	11	31	29	40	97	112	164	196	204	-	-	F.
-	-	-	-	-	4	2	-	2	8	15	13	19	17	23	32	58	57	64	-	-	M.
-	-	-	1	-	3	1	1	3	2	9	10	10	14	26	30	65	62	98	-	-	F.
-	-	-	-	-	-	-	-	-	2	5	5	3	10	6	9	21	15	16	-	-	M. 444
-	-	-	-	-	1	-	1	-	1	4	4	5	5	12	17	29	40	49	-	-	F.
-	-	-	-	-	3	2	2	3	6	8	6	10	4	4	4	3	-	2	-	-	M. 445
-	-	-	-	-	2	1	-	3	1	5	6	3	5	5	2	4	2	1	-	-	F.
-	-	-	-	-	1	-	-	2	-	2	-	6	3	12	19	34	41	45	-	-	M. 446
-	-	-	1	-	1	-	-	-	-	-	1	2	4	9	9	31	20	46	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	M. 447
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	F.
-	-	-	1	3	1	3	3	4	15	20	43	77	132	202	264	401	438	652	-	-	M.
-	-	-	-	2	2	5	8	6	9	7	31	26	47	90	158	284	413	820	1	-	F.
-	-	-	-	-	-	-	-	-	2	5	7	15	38	60	120	233	326	562	-	-	M. 450
-	-	-	-	-	-	-	-	-	1	2	8	6	16	47	103	207	352	763	-	-	F.
-	-	-	-	-	-	-	-	-	1	3	6	12	33	46	107	210	294	522	-	-	M. .0
-	-	-	-	-	-	-	-	-	1	2	8	6	16	45	96	191	332	716	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	1	3	5	14	13	23	32	40	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	16	20	47	-	-	F.
-	-	-	-	1	-	1	2	2	7	7	22	50	87	128	127	150	97	61	-	-	M. 451
-	-	-	-	-	-	-	1	1	4	2	8	9	19	28	41	68	46	41	1	-	F.
-	-	-	1	-	-	-	-	-	3	1	5	1	3	4	2	2	2	3	-	-	M. 452
-	-	-	-	1	-	-	2	1	1	2	7	3	1	1	-	2	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	1	1	7	2	1	1	3	6	-	-	M. 453
-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	3	2	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	1	-	1	1	3	2	-	1	-	1	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-	3	5	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	-	F.
-	-	-	-	-	-	-	-	1	1	2	3	5	8	3	10	10	6	13	-	-	M. 454
-	-	-	-	-	-	-	-	-	-	-	2	3	3	7	6	5	7	7	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	1	6	-	-	M. 455
-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	2	6	-	-	F.
-	-	-	-	2	1	2	1	1	1	5	5	5	7	3	2	2	3	1	-	-	M. 456
-	-	-	-	1	2	4	4	2	3	1	6	4	5	6	5	2	2	1	-	-	F.
-	1	-	-	-	1	3	3	3	9	19	23	46	45	47	56	76	63	39	-	-	M.
-	1	-	-	-	-	6	8	8	12	14	19	18	27	41	47	60	66	47	-	-	F.
-	-	-	-	-	-	-	-	1	1	1	-	1	1	4	-	-	1	1	-	-	M. 460
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 461
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	-	-	-	-	-	3	4	2	1	1	3	2	-	-	-	M. 462
-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	3	3	2	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	-	-	-	-	-	3	4	1	1	1	3	2	-	-	-	M. .1
-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	3	2	2	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	1	-	-	-	2	2	6	7	6	10	7	2	4	-	-	M. 463
-	-	-	-	-	-	1	-	1	2	2	3	4	7	4	7	6	7	2	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
<b>Diseases of veins and other diseases of circulatory system - Concluded:</b>														
464	Phlebitis and thrombophlebitis of other sites.	M. 32 F. 39	- 1	1 -	2 3	3 -	3 6	12 24	1 3	2 -	4 -	4 2	- -	- -
465	Pulmonary embolism and infarction	M. 222 F. 161	6 5	2 2	11 6	4 5	21 29	81 56	34 26	24 13	20 12	19 7	- -	- -
466	Other venous embolism and thrombosis	M. 76 F. 75	2 2	- -	- 7	3 1	7 3	21 28	14 10	11 9	7 2	11 13	- -	- -
467	Other diseases of circulatory system	M. 26 F. 20	1 -	- -	3 1	2 1	4 5	8 7	- 1	2 1	4 4	2 -	- -	- -
.0	Hypotension	M. 6 F. 4	1 -	- -	1 1	- -	2 2	2 1	- -	- -	- -	- -	- -	- -
.1	Diseases of capillaries	M. 4 F. 3	- -	- -	- -	- -	- 2	3 -	- -	- -	- 1	1 -	- -	- -
.2	Other and unspecified circulatory diseases.	M. 16 F. 13	- -	- -	2 -	2 1	2 1	3 6	- 1	2 1	4 3	1 -	- -	- -
468	Certain diseases of lymph nodes and lymph channels.	M. 1 F. 3	- -	- -	- -	- -	- 2	- 1	- -	- -	1 -	- -	- -	- -
.0	Chronic lymphadenitis	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Nonspecific mesenteric lymphadenitis	M. 1 F. -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
.2	Lymphadenitis, unqualified	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
.3	Noninfective diseases of lymphatic channels.	M. - F. 2	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -
<b>VIII. Diseases of the respiratory system</b>		M. 5,622 F. 2,994	126 75	37 21	218 126	148 116	1,074 537	2,151 1,185	376 231	363 182	356 192	750 308	3 2	20 19
<b>Acute upper respiratory infections (470-475).</b>		M. 61 F. 35	2 -	- -	6 1	5 1	2 6	14 14	5 2	4 2	6 3	17 6	- -	- -
470	Acute nasopharyngitis (common cold)	M. 1 F. 2	- -	- -	- -	- -	- 1	1 1	- -	- -	- -	- -	- -	- -
471	Acute sinusitis	M. 1 F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
472	Acute pharyngitis	M. 4 F. 7	- -	- -	- -	1 -	- 2	2 3	1 -	- -	1 -	1 -	- -	- -
.0	Sore throat, unqualified	M. 1 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.1	Other	M. 3 F. 7	- -	- -	- -	1 -	- 2	1 3	1 1	- -	1 -	1 -	- -	- -
473	Acute tonsillitis	M. 6 F. -	- -	- -	- -	1 -	- -	1 -	1 -	1 -	- -	2 -	- -	- -
474	Acute laryngitis and tracheitis	M. 25 F. 13	- -	- -	5 -	- -	2 1	5 4	- 1	1 1	4 2	8 4	- -	- -
475	Acute upper respiratory infection of multiple or unspecified sites.	M. 24 F. 13	2 -	- -	1 1	3 1	- 2	5 6	4 -	2 1	1 1	6 1	- -	- -
<b>Influenza (480-483)</b>		M. 126 F. 137	4 4	3 2	3 5	7 2	40 54	40 44	2 4	4 8	8 4	14 9	- -	1 1
480	Influenza with pneumonia	M. 62 F. 72	3 4	1 1	1 4	1 1	11 19	29 25	- 2	2 6	4 4	9 5	- -	1 1
481	Influenza with other respiratory manifestations, and influenza unqualified.	M. 55 F. 56	1 -	2 1	2 1	4 1	26 31	9 15	1 2	2 2	4 -	4 3	- -	- -
482	Influenza with digestive manifestations, but without respiratory symptoms.	M. 6 F. 6	- -	- -	- -	1 -	2 2	2 3	- -	- -	- -	1 1	- -	- -
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms.	M. 3 F. 3	- -	- -	- -	1 -	1 2	- 1	1 -	- -	- -	- -	- -	- -
<b>Pneumonia (490-493)</b>		M. 2,860 F. 2,092	75 60	19 14	101 82	74 83	401 267	1,156 899	227 185	200 125	170 129	421 232	2 2	14 14
490	Lobar pneumonia	M. 327 F. 188	8 7	1 2	15 11	9 6	30 15	138 80	25 12	17 12	15 12	67 31	1 -	1 -
491	Bronchopneumonia	M. 1,716 F. 1,288	35 26	7 5	45 36	46 41	258 175	688 591	156 123	135 80	96 75	244 130	1 -	5 6
492	Primary atypical pneumonia	M. 173 F. 128	13 7	1 -	7 3	3 8	7 6	76 36	6 13	17 13	11 19	32 22	- -	- 1
493	Pneumonia, other and unspecified	M. 644 F. 488	19 20	10 7	34 32	16 28	106 71	254 192	40 37	31 20	48 23	78 49	- 2	8 7

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	-	-	-	-	1	1	-	1	3	1	5	3	4	6	7	-	-	M. 464
-	-	-	-	-	-	1	1	-	2	2	7	1	-	7	7	3	3	5	-	F.
-	-	-	-	-	-	1	1	1	8	10	10	26	14	20	28	39	36	28	-	M. 465
-	-	-	-	-	-	1	2	5	4	7	4	9	13	23	16	23	32	22	-	F.
-	-	-	-	-	-	1	1	3	-	2	2	6	14	11	6	16	10	4	-	M. 466
-	-	-	-	-	-	1	3	2	2	2	4	-	5	5	9	19	16	7	-	F.
-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	6	5	4	2	-	M. 467
-	1	-	-	-	-	1	-	-	1	1	1	-	-	1	6	2	3	3	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	M. 468
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 469
-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 470
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 471
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 472
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 473
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 474
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 475
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 476
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 477
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 478
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 479
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 480
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 481
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 482
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 483
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 484
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
432	131	40	18	20	25	23	15	45	65	90	186	300	441	585	705	832	762	906	1	M. 464
342	92	29	18	16	16	13	17	34	36	41	79	114	130	149	258	350	464	796	-	F.
29	13	2	-	1	-	1	-	1	2	3	-	2	-	1	-	3	1	2	-	M. 465
19	7	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 470
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 471
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 472
2	2	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 473
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 474
2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 475
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	M. 476
14	5	1	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	F.
8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 477
15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 478
13	6	-	1	-	-	1	2	2	2	2	3	1	2	5	2	20	27	37	-	F.
11	9	3	2	1	-	-	4	1	3	-	3	5	2	7	7	13	22	44	-	M. 479
6	1	-	1	-	-	-	-	1	1	1	2	1	2	1	1	12	17	15	-	F.
5	4	1	-	1	-	-	2	1	1	-	3	2	2	6	1	9	11	23	-	M. 480
5	5	-	-	-	-	-	-	1	1	-	1	-	-	3	-	8	10	21	-	F.
5	5	1	2	-	-	-	2	-	1	-	-	3	-	1	6	3	8	19	-	M. 481
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 482
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 483
1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	F.
349	82	24	14	16	15	17	10	24	24	37	69	110	148	177	281	406	430	627	-	M. 464
279	63	16	14	11	12	6	6	16	16	23	36	44	67	78	157	247	352	649	-	F.
25	6	1	2	2	3	3	3	4	3	6	18	21	23	27	43	52	37	48	-	M. 490
20	4	-	-	1	1	-	1	2	6	4	8	11	10	11	15	21	29	44	-	F.
169	46	15	9	9	7	9	4	13	11	22	31	62	93	99	178	252	280	407	-	M. 491
122	36	11	14	6	10	4	3	6	4	13	22	26	36	52	100	164	218	441	-	F.
91	14	2	-	1	1	2	-	2	1	3	4	1	8	8	6	6	15	8	-	M. 492
69	8	2	-	1	-	1	1	1	2	2	3	1	2	2	5	2	9	17	-	F.
64	16	6	3	4	4	3	3	5	9	6	16	26	24	43	54	96	98	164	-	M. 493
68	15	3	-	3	1	1	1	7	4	4	3	6	19	13	37	60	96	147	-	F.



Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
19 14	12 5	5 3	2 2	1 1	2 1	-	1 2	3 4	10 3	19 7	50 11	80 24	111 15	163 20	177 37	164 34	147 35	103 32	-	M. F.
9 9	5 3	1 2	- 1	- -	- 1	- -	- -	2 2	3 1	1 -	- -	1 2	2 1	3 4	2 4	6 3	2 3	12 4	-	M. F.
10 5	6 2	4 1	2 -	- 1	1 -	- -	- 1	- 1	1 1	1 1	3 3	10 4	9 -	6 5	11 8	11 5	9 9	6 8	-	M. F.
-	1	-	-	1	1	-	1	1	6	17	47	69	100	154	164	147	136	85	-	M. F.
-	-	-	1	-	-	-	1	1	1	6	8	18	14	14	25	26	23	20	-	F.
-	-	-	-	-	-	-	1	1	3	17	35	53	86	124	124	108	85	51	-	M. F.
-	-	-	-	-	-	-	1	1	1	5	4	11	9	9	17	16	13	10	-	F.
-	1	-	-	1	1	-	-	-	3	-	12	16	14	30	40	39	51	34	-	M. F.
-	-	-	1	-	-	-	-	-	-	1	4	7	5	5	8	10	10	10	-	F.
22 19	18 8	9 5	1 -	2 1	8 3	4 7	2 5	15 13	27 14	29 11	64 29	107 41	180 45	239 43	245 57	239 56	157 53	137 70	1	M. F.
-	5 3	1 3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	5 3	1 3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
1	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	1	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
4 1	3 3	3	-	-	-	1	-	1	-	-	1	2	1	3	1	1	1	2	-	M. F.
1 2	-	-	-	1	-	1	-	2	1	1	2	-	3	-	2	3	3	-	-	M. F.
1 1	1	-	-	-	-	1	-	-	-	1	1	1	-	3	6	2	7	8	-	M. F.
1	-	-	-	-	-	1	-	1	-	1	1	-	2	4	3	5	1	2	-	M. F.
-	-	-	-	-	-	1	-	1	-	1	1	-	2	1	1	1	1	4	-	M. F.
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
1	1	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	4	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	-	-	M. F.
1	2	-	-	1	-	-	-	-	1	2	1	3	7	6	3	3	6	-	-	M. F.
1 3	-	-	-	1	2	-	-	-	3	-	1	-	5	4	2	3	4	17	-	M. F.
-	-	-	-	-	1	1	-	1	-	2	1	3	1	1	3	3	10	28	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	5	15	13	11	6	8	3	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	4	13	13	9	5	6	3	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	M. F.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	M. F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>Other diseases of respiratory system—</b>														
	<b>Concluded:</b>														
525	Other chronic interstitial pneumonia .....	M. 204 F. 93	5 3	2 —	4 5	9 3	29 14	71 41	19 6	5 6	13 5	46 8	— —	1 2	
526	Bronchiectasis .....	M. 130 F. 68	3 2	— —	4 5	4 2	24 10	51 26	3 4	18 6	7 7	16 5	— —	— 1	
527	Other diseases of lung and pleural cavity	M. 940 F. 193	15 1	7 —	32 6	18 5	236 73	334 59	63 9	67 13	72 10	95 16	— —	1 1	
.0	<i>Pulmonary collapse (1 year and over)...</i>	M. 17 F. 4	— —	— —	— —	— —	9 3	3 1	2 —	1 —	2 —	— —	— —	— —	
.1	<i>Emphysema without mention of bronchi-</i>	M. 796 F. 112	9 —	6 —	26 5	15 2	177 29	301 42	51 7	59 7	63 7	88 13	— —	1 —	
.2	<i>Other .....</i>	M. 127 F. 77	6 1	1 —	6 1	3 3	50 41	30 16	10 2	7 6	7 3	7 3	— —	— 1	
	<b>IX. Diseases of the digestive system .....</b>	M. 3,265 F. 2,354	53 38	23 9	111 93	92 58	906 661	1,151 862	156 108	186 99	208 155	372 264	2 —	5 7	
	<b>Diseases of buccal cavity and oesophagus</b>	M. 35 F. 29	1 —	1 —	1 1	1 2	8 4	16 13	— 1	2 2	1 2	4 4	— —	— —	
530	Dental caries .....	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.0	<i>Dental caries, unqualified .....</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
531	Abscesses of supporting structures of	M. — F. 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
.1	<i>Periodontal (parietal) .....</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.2	<i>Other and unspecified .....</i>	M. — F. 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
532	Other inflammatory diseases of supporting	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	
.1	<i>Periodontitis (pyorrhoea, inflammatory)</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.3	<i>Other .....</i>	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	
533	Disorders of occlusion, eruption, and tooth	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.1	<i>Disorders of first dentition .....</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.2	<i>Impacted teeth .....</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
535	Other diseases of teeth and supporting	M. 1 F. 1	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	
536	Stomatitis .....	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
537	Diseases of salivary glands .....	M. 2 F. 5	— —	— —	— —	— —	1 2	1 2	— —	— —	— 1	— —	— —	— —	
538	Other diseases of buccal cavity .....	M. 1 F. —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
539	Diseases of oesophagus .....	M. 30 F. 22	1 —	1 —	1 1	1 2	6 2	14 9	— 1	2 2	1 1	3 4	— —	— —	
.0	<i>Functional disorders of oesophagus .....</i>	M. 2 F. —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	
.1	<i>Other .....</i>	M. 28 F. 22	1 —	1 —	1 1	1 2	5 2	14 9	— 1	1 2	1 1	3 4	— —	— —	
	<b>Diseases of stomach and duodenum (540-</b>	M. 761 F. 281	14 2	5 1	36 13	23 7	187 74	272 104	36 14	39 14	39 20	109 32	— —	1 —	
540	Ulcer of stomach .....	M. 359 F. 141	8 1	2 —	16 7	13 5	114 37	116 52	12 7	16 10	15 9	46 13	— —	1 —	
.0	<i>Without mention of perforation .....</i>	M. 255 F. 109	6 1	2 —	12 5	8 3	75 25	85 41	8 5	12 9	10 8	37 12	— —	— —	
.1	<i>With perforation .....</i>	M. 104 F. 32	2 —	— —	4 2	5 2	39 12	31 11	4 2	4 1	5 1	9 1	— —	1 —	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
3 1	1	1	-	-	1	1	-	2	3	7	13	15	22	29	30	34	18	24	-	M. 525
-	-	1	-	-	-	1	-	1	3	1	10	7	13	14	15	10	8	9	-	F.
-	-	1	-	-	1	-	2	1	1	3	6	11	9	8	7	6	6	5	-	M. 526
11 10	7	2	1	1	2	1	1	9	16	14	35	72	111	163	165	160	95	73	1	M. 527
-	-	-	-	1	1	1	2	9	7	3	9	13	17	17	27	24	24	25	-	F.
-	3	-	-	-	-	-	1	-	1	1	2	1	1	3	1	1	1	1	-	M. .0
1 2	-	1	-	-	1	-	-	6	11	11	26	65	99	145	148	142	80	59	1	M. .1
10 8	4	1	1	1	1	1	3	6	5	2	6	4	13	11	22	16	16	11	-	F.
-	-	-	-	1	1	1	-	3	4	2	7	6	11	15	16	17	14	13	-	M. .2
-	-	-	-	1	1	1	3	3	2	1	3	9	4	6	5	14	6	13	-	F.
163 124	35 27	17 16	16 8	15 11	12 9	26 21	48 42	72 52	134 83	174 106	240 141	306 162	329 174	376 224	366 272	358 307	311 284	267 290	-	M. F.
-	-	-	-	-	-	-	1	-	2	1	2	4	3	4	4	7	3	4	-	M. F.
-	-	-	-	-	-	-	-	1	-	2	1	1	3	5	4	4	1	7	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 530
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. 531
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. 532
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 533
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. 535
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 536
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 537
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 538
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	1	-	1	1	2	2	3	4	4	6	3	3	-	M. 539
-	-	-	-	-	-	-	-	1	-	-	1	1	2	5	2	3	-	6	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	M. .0
-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	1	1	1	3	3	3	6	3	3	-	M. .1
-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	2	3	-	6	-	F.
2 5	1	1	2	5	2	5	3	11	18	34	44	69	69	104	103	105	111	73	-	M. F.
-	-	-	-	-	2	1	5	5	13	12	8	17	13	39	36	38	47	38	1	F.
-	-	1	1	2	2	2	2	4	10	14	21	32	35	59	57	43	42	32	-	M. 540
3	-	-	-	-	2	-	2	2	5	5	4	8	9	27	18	16	23	19	-	F.
1	-	-	-	1	1	2	-	2	4	9	13	22	26	43	41	31	33	27	-	M. .0
-	-	-	-	-	1	-	1	1	4	2	2	7	5	24	15	13	18	16	-	F.
-	-	1	1	1	1	-	2	2	6	5	8	10	9	16	16	12	9	5	-	M. .1
2	-	-	-	-	-	-	1	1	1	3	2	1	4	3	3	5	5	3	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
<b>Diseases of stomach and duodenum - Concluded:</b>															
541	Ulcer of duodenum .....	M.	338	5	1	18	9	55	135	19	22	21	53	-	-
		F.	104	-	1	6	1	19	41	7	3	11	15	-	-
.0	Without mention of perforation .....	M.	236	4	1	15	6	37	90	16	17	15	35	-	-
		F.	58	-	-	4	1	12	21	3	2	8	7	-	-
.1	With perforation .....	M.	102	1	-	3	3	18	45	3	5	6	18	-	-
		F.	46	-	1	2	-	7	20	4	1	3	8	-	-
542	Gastrojejunal ulcer .....	M.	10	-	-	-	-	2	1	1	-	-	6	-	-
		F.	3	-	-	-	-	2	-	-	-	-	1	-	-
.0	Without mention of perforation .....	M.	5	-	-	-	-	2	1	-	-	-	2	-	-
		F.	2	-	-	-	-	1	-	-	-	-	1	-	-
.1	With perforation .....	M.	5	-	-	-	-	-	-	1	-	-	4	-	-
		F.	1	-	-	-	-	1	-	-	-	-	-	-	-
543	Gastritis and duodenitis .....	M.	23	-	2	-	1	5	12	1	-	1	1	-	-
		F.	13	-	-	-	1	5	5	-	-	-	2	-	-
544	Disorders of function of stomach .....	M.	5	-	-	-	-	1	2	1	-	-	1	-	-
		F.	6	-	-	-	-	4	2	-	-	-	-	-	-
.0	Disorders of gastric secretion .....	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	1	-	-	-	-	-	-	-
.1	Disorders of gastric motility .....	M.	3	-	-	-	-	-	2	-	-	-	1	-	-
		F.	3	-	-	-	-	2	1	-	-	-	-	-	-
.2	Other .....	M.	2	-	-	-	-	1	-	1	-	-	-	-	-
		F.	2	-	-	-	-	1	1	-	-	-	-	-	-
545	Other diseases of stomach and duodenum .....	M.	26	1	-	2	-	10	6	2	1	2	2	-	-
		F.	14	1	-	-	-	7	4	-	1	-	1	-	-
550	Acute appendicitis .....	M.	82	-	-	1	1	24	27	4	7	7	11	-	-
		F.	30	1	-	-	-	4	17	1	3	-	4	-	-
.0	Without mention of peritonitis .....	M.	79	-	-	1	1	24	26	3	7	7	10	-	-
		F.	27	1	-	-	-	3	16	-	3	-	4	-	-
.1	With peritonitis .....	M.	10	-	-	-	-	4	4	1	1	-	-	-	-
		F.	6	-	-	-	-	1	4	-	1	-	-	-	-
551	Appendicitis, unqualified .....	M.	69	-	-	1	1	20	22	2	6	7	10	-	-
		F.	21	1	-	-	-	2	12	-	2	-	4	-	-
552	Other appendicitis .....	M.	1	-	-	-	-	-	-	1	-	-	-	-	-
		F.	3	-	-	-	-	1	1	1	-	-	-	-	-
553	Other diseases of appendix .....	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
560	Hernia of abdominal cavity (560-561) .....	M.	197	2	1	9	3	51	84	11	7	12	17	-	-
		F.	150	5	-	9	4	35	58	5	5	8	21	-	-
.0	Hernia of abdominal cavity without mention of obstruction. Inguinal .....	M.	96	1	-	5	1	22	40	6	3	9	9	-	-
		F.	64	3	-	2	2	9	27	2	2	4	13	-	-
.1	Femoral .....	M.	17	-	-	1	1	8	4	-	2	-	1	-	-
		F.	1	-	-	-	-	-	1	-	-	-	-	-	-
.2	Umbilical .....	M.	14	-	-	1	-	3	8	-	-	1	1	-	-
		F.	4	-	-	-	-	1	3	-	-	-	-	-	-
.3	Ventral (incisional) .....	M.	4	-	-	-	-	-	3	-	-	-	1	-	-
		F.	6	-	-	1	-	1	2	-	-	1	1	-	-
.4	Other specified site .....	M.	55	1	-	2	-	10	24	5	1	7	5	-	-
		F.	50	3	-	1	2	7	20	2	1	2	12	-	-
.5	Unspecified site .....	M.	6	-	-	1	-	1	1	1	-	1	1	-	-
		F.	3	-	-	-	-	-	1	-	1	1	-	-	-
561	Hernia of abdominal cavity with obstruction. Inguinal .....	M.	101	1	1	4	2	29	44	5	4	3	8	-	-
		F.	86	2	-	7	2	26	31	3	3	4	8	-	-
.0	Femoral .....	M.	54	1	-	2	1	16	20	3	2	2	7	-	-
		F.	10	1	-	-	-	2	3	1	-	1	2	-	-
.1	Umbilical .....	M.	3	-	-	-	1	-	-	1	-	-	1	-	-
		F.	13	-	-	1	1	3	5	-	1	-	2	-	-
.2	Ventral (incisional) .....	M.	7	-	-	-	-	2	5	-	-	-	-	-	-
		F.	15	-	-	1	-	6	6	1	-	1	-	-	-
.3	Other specified site .....	M.	8	-	-	-	-	2	5	-	1	-	-	-	-
		F.	19	-	-	4	1	4	7	-	1	-	2	-	-
.4	Unspecified site .....	M.	17	-	1	1	-	4	10	-	-	1	-	-	-
		F.	15	-	-	-	-	3	8	-	1	1	2	-	-
.5	Unspecified site .....	M.	12	-	-	1	-	5	4	1	1	-	-	-	-
		F.	14	1	-	1	-	8	2	1	-	1	-	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																	Not stated	Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			85+
1	-	-	-	2	-	2	-	4	7	15	18	35	28	37	44	50	61	34	-	M. 541
-	1	-	-	-	2	-	-	6	6	5	4	8	3	10	9	15	20	18	1	F.
1	-	-	-	1	-	1	-	3	3	8	8	24	22	24	28	40	47	26	-	M. .0
-	-	-	-	-	-	-	1	3	3	2	2	7	2	4	4	9	11	12	-	F.
-	1	-	-	1	-	1	-	4	7	10	11	6	13	16	10	14	8	-	M. .1	
-	-	-	-	-	2	-	1	3	2	2	1	1	6	6	6	9	6	1	F.	
-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	1	-	-	M. 542	
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	-	F.	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	M. .0	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	F.	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	M. .1	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	F.	
1	-	-	-	1	-	1	-	1	1	1	2	-	1	3	1	7	1	3	M. 543	
2	-	-	-	-	1	1	-	1	1	1	-	-	-	-	2	1	2	1	F.	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	M. 544	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	M. .1	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	M. .2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	F.	
-	-	-	1	-	-	-	-	1	-	2	2	1	3	3	1	3	5	4	M. 545	
-	-	-	-	-	-	-	-	2	1	-	-	1	1	2	5	2	-	-	F.	
-	-	3	5	6	3	1	3	2	-	2	4	3	5	4	8	11	9	10	M. .	
-	-	3	3	-	1	-	1	1	2	2	-	-	1	3	3	7	3	3	F.	
-	3	5	6	3	1	3	2	-	2	4	3	5	4	8	11	7	9	3	M. 550	
-	-	2	-	1	-	1	1	2	1	1	-	-	1	2	3	7	3	3	F.	
-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	2	2	1	M. .0	
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	2	F.	
-	3	5	4	2	1	3	1	-	2	4	3	4	4	8	11	5	7	2	M. .1	
-	-	2	-	1	-	-	-	-	1	1	-	-	1	2	3	5	3	1	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 551	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 552	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	M. 553	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
49	-	-	-	-	1	-	2	4	3	6	7	14	18	17	24	17	35	-	M. .	
21	-	-	-	-	-	1	1	1	3	3	6	5	9	14	24	24	23	-	F.	
43	-	-	-	-	1	-	-	1	3	5	-	7	9	7	6	7	5	-	M. 560	
19	-	-	-	-	-	1	-	-	3	2	3	4	9	9	9	7	5	-	F.	
1	-	-	-	-	1	-	-	-	-	2	-	-	1	2	3	1	4	2	M. .0	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	M. .2	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F.	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	M. .3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	F.	
29	-	-	-	-	-	1	-	-	-	1	3	5	5	2	3	2	5	5	M. .4	
15	-	-	-	-	-	-	-	-	-	1	1	3	7	7	6	6	5	3	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	M. .5	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	F.	
6	-	-	-	-	-	-	2	3	-	1	7	7	9	10	18	10	28	-	M. 561	
2	-	-	-	-	-	-	1	1	3	4	4	2	5	5	15	17	13	18	F.	
1	-	-	-	-	-	-	-	2	2	-	-	3	1	5	10	6	19	-	M. .0	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	M. .1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	3	F.	
2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	2	M. .2	
1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	4	3	1	3	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	-	M. .3	
-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	5	2	3	5	F.	
-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	4	1	1	M. .4	
3	-	-	-	-	-	-	-	-	-	2	-	-	3	1	1	2	4	2	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	M. .5	
-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	3	3	F.	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence													
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.		
	Other diseases of intestines and peritoneum (570-578).	M. F.	758 782	19 15	7 4	36 45	28 19	184 184	261 295	39 41	53 39	65 59	63 77	- -	- -	3 4
570	Intestinal obstruction without mention of hernia.	M. F.	267 290	8 4	2 1	10 14	6 11	69 70	90 116	13 17	18 12	24 15	27 30	- -	- -	- -
.0	Intussusception .....	M. F.	7 4	- -	- -	- -	- -	1 2	3 -	1 -	2 -	- -	- 2	- -	- -	- -
.1	Paralytic ileus.....	M. F.	28 20	1 2	- -	- -	2 2	10 8	11 4	1 2	- 2	1 -	2 -	- -	- -	- -
.2	Mesenteric infarction .....	M. F.	88 90	4 2	1 -	5 3	2 4	21 22	25 35	6 7	8 1	10 4	6 12	- -	- -	- -
.3	Volvulus .....	M. F.	49 44	- -	- -	1 4	- 1	12 6	16 21	4 1	4 3	2 3	10 5	- -	- -	- -
.4	Impaction of intestine .....	M. F.	7 18	- -	- -	- -	- -	- 3	4 13	- -	- -	- 1	3 1	- -	- -	- -
.5	Other .....	M. F.	88 114	3 -	1 1	4 7	2 4	25 31	31 41	1 7	4 6	11 7	6 10	- -	- -	- -
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over.	M. F.	179 196	4 5	- -	6 10	7 3	45 50	54 57	12 10	17 17	15 21	18 19	- -	- -	1 4
.0	Ages between 4 weeks and 2 years .....	M. F.	97 90	4 1	- -	2 4	5 1	21 19	26 25	8 6	13 13	6 13	11 4	- -	- -	1 4
.1	Ages 2 years and over .....	M. F.	82 106	- 4	- -	4 6	2 2	24 31	28 32	4 4	4 4	9 8	7 15	- -	- -	- -
572	Chronic enteritis and ulcerative colitis.....	M. F.	141 169	3 3	2 3	5 7	9 3	38 42	51 66	5 7	9 6	5 15	13 17	- -	- -	1 -
.0	Regional enteritis .....	M. F.	12 8	- -	- -	- -	1 -	3 2	7 3	- -	- -	- 2	1 1	- -	- -	- -
.1	Diverticulitis .....	M. F.	104 122	3 1	2 3	5 5	5 3	29 25	35 53	3 3	7 6	4 11	10 12	- -	- -	1 -
.2	Ulcerative colitis .....	M. F.	24 37	- 2	- -	- 2	3 -	6 15	9 10	2 3	1 -	1 2	2 3	- -	- -	- -
.3	Other .....	M. F.	1 2	- -	- -	- -	- -	- -	- -	- 1	1 -	- -	1 1	- -	- -	- -
573	Functional disorders of intestines .....	M. F.	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
.0	Constipation .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Mucous colitis .....	M. F.	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
.2	Irritability of colon .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
574	Anal fissure and fistula .....	M. F.	1 1	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -
575	Abscess of anal and rectal regions .....	M. F.	8 2	- -	- -	- -	1 -	1 1	2 1	- -	1 -	1 -	2 -	- -	- -	- -
576	Peritonitis .....	M. F.	21 21	2 1	1 -	- 4	2 -	5 2	7 10	2 2	- -	2 -	- 2	- -	- -	- -
577	Peritoneal adhesion .....	M. F.	5 8	- -	- -	1 1	- -	2 1	- 4	- 1	- 1	2 -	- -	- -	- -	- -
578	Other diseases of intestines and peritoneum.	M. F.	136 94	2 2	2 -	14 9	3 2	24 18	56 39	7 4	8 3	16 8	3 9	- -	- -	1 -
	Diseases of liver, gallbladder, and pancreas (580-587).	M. F.	1,432 1,082	17 15	9 4	28 25	36 26	452 360	491 375	66 46	78 36	84 66	168 126	2 -	- -	1 3
580	Acute and subacute yellow atrophy of liver.	M. F.	19 14	- -	- -	- 1	- 1	4 2	8 6	1 1	3 -	1 1	2 2	- -	- -	- -
581	Cirrhosis of liver .....	M. F.	928 532	11 9	4 1	18 7	23 12	297 164	341 202	39 23	40 14	48 29	105 69	1 -	- -	1 2
.0	Without mention of alcoholism .....	M. F.	624 414	9 8	4 1	15 6	20 10	196 142	221 148	26 14	29 22	34 21	69 51	- -	- -	1 1
.1	With alcoholism .....	M. F.	304 118	2 1	- -	3 1	3 2	101 22	120 54	13 9	11 2	14 8	36 18	1 -	- -	- 1
582	Suppurative hepatitis and liver abscess	M. F.	7 3	1 -	- -	- -	- -	- -	5 1	- 1	- -	- -	1 1	- -	- -	- -
583	Other diseases of liver .....	M. F.	38 49	- 1	1 -	3 2	1 -	19 22	7 16	- 2	3 2	3 4	1 4	- -	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
96 80	25 21	3 4	3 3	3 6	5 2	5 5	10 8	6 10	18 15	18 22	33 28	47 30	69 40	79 64	79 78	98 108	84 126	77 132	-	M. F.
9 4	2 1	-	-	1 -	2 1	-	3 3	4 4	7 8	9 7	13 10	14 16	29 18	37 21	35 27	42 52	30 60	30 54	-	M. 570 F.
4 3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. F.
1	1	-	-	-	-	-	-	-	-	1	1	2	4	4	1	4	3	6	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	2	5	4	-	M. F.
1	-	-	-	-	-	-	-	1	4	3	3	5	8	19	15	14	10	5	-	M. F.
-	-	-	-	-	-	-	1	-	3	1	2	3	8	8	9	25	16	14	-	M. F.
2	1	-	-	1	1	-	2	2	1	1	3	4	6	4	5	7	5	4	-	M. F.
-	-	-	1	-	1	-	2	3	1	2	2	3	2	1	1	8	11	6	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	-	M. F.
1	-	-	-	-	1	-	1	1	1	4	6	3	10	10	12	16	10	12	-	M. F.
1	-	-	-	-	1	-	1	1	2	4	5	6	6	9	13	14	25	26	-	M. F.
81 73	23 20	2 3	2 2	1 2	-	1 1	3 -	1 -	5 2	-	3 4	8 3	3 1	7 11	8 14	8 12	11 16	12 27	-	M. 571 F.
81 73	16 17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	7 3	2 3	2 2	1 2	-	1 1	3 -	1 -	5 2	-	3 4	8 3	3 1	7 11	8 14	8 12	11 16	12 27	-	M. F.
2 1	-	-	1	1	1	3	2	1	3	3	6	12	17	15	17	24	23	10	-	M. 572 F.
-	-	-	1	-	-	1	1	-	2	1	1	-	2	1	2	-	-	-	-	M. F.
-	-	-	-	1	-	-	-	1	1	-	1	1	1	-	1	1	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	1	1	5	10	11	13	13	20	20	9	-	M. F.
-	-	-	-	-	-	-	1	-	2	2	4	7	7	17	21	20	23	22	-	M. F.
2	-	-	-	1	1	2	1	1	3	1	-	2	4	1	2	3	3	1	-	M. F.
-	-	-	-	-	1	1	3	2	3	4	3	2	1	5	2	3	5	2	-	M. F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. 573 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 574 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	3	-	M. 575 F.
1	-	-	-	-	1	-	-	-	2	-	1	2	3	4	3	3	1	-	-	M. 576 F.
-	-	-	-	1	-	-	1	2	-	1	1	1	2	2	1	4	1	4	-	M. 577 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	-	M. 577 F.
3 2	-	-	-	1	1	1	2	-	1	6	10	11	13	14	15	20	16	22	-	M. 578 F.
16 18	7 5	8 9	5 5	4 4	3 5	13 13	32 28	53 33	90 52	114 67	152 98	174 109	170 108	163 99	152 127	115 126	86 89	75 87	-	M. F.
1	-	-	-	-	-	1	2	1	1	2	-	1	4	3	3	2	1	-	-	M. 580 F.
3 4	1	2	1	2	-	4	17	44	71	96	124	136	132	103	81	55	32	24	-	M. 581 F.
3 4	1	2	1	2	-	3	13	17	35	54	78	85	91	81	56	52	26	11	-	M. F.
3 4	1	1	3	1	2	4	11	10	26	30	49	54	57	48	39	45	20	10	-	M. F.
-	-	-	-	-	1	4	27	36	42	46	51	41	22	25	3	6	-	-	-	M. F.
-	1	-	-	-	-	2	10	13	18	16	16	18	12	4	1	-	1	-	-	M. 582 F.
1 4	1	-	-	1	-	-	2	1	2	4	5	4	1	3	4	2	3	4	-	M. 583 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
<b>Diseases of liver, gallbladder, and pancreas - Concluded:</b>															
584	Cholelithiasis .....	M. F.	153 231	2 -	- -	2 5	3 5	43 92	53 75	9 9	11 5	7 17	23 23	- -	- -
585	Cholecystitis and cholangitis without mention of calculi, .....	M. F.	105 121	1 2	- 3	1 3	1 4	44 39	21 36	4 5	7 7	10 10	16 12	- -	- -
586	Other diseases of gallbladder and biliary ducts, .....	M. F.	21 38	1 2	- -	1 1	- 1	2 13	8 10	1 2	2 3	2 3	3 2	1 -	- 1
587	Diseases of pancreas .....	M. F.	161 94	1 1	4 -	3 6	8 3	43 28	48 29	12 3	12 5	13 6	17 13	- -	- -
.0	Acute pancreatitis .....	M. F.	106 60	- -	2 -	3 4	6 1	25 19	32 19	6 3	9 4	11 2	12 8	- -	- -
.1	Chronic pancreatitis .....	M. F.	18 8	- -	- -	- 1	1 -	6 2	6 2	2 1	1 2	1 2	1 -	- -	- -
.2	Other diseases of pancreas .....	M. F.	37 26	1 1	2 -	- 1	1 2	12 7	10 8	4 -	2 -	1 2	4 5	- -	- -
A	Fibrocystic disease .....	M. F.	28 23	1 1	2 -	- -	1 2	7 7	8 7	2 -	2 -	1 1	4 5	- -	- -
B	Other .....	M. F.	9 3	- -	- -	- 1	- -	5 -	2 1	2 -	- -	- 1	- -	- -	- -
	<b>X. Diseases of the genito-urinary system</b> .....	M. F.	1,562 1,007	26 22	8 6	74 46	61 28	471 394	484 311	72 38	90 30	89 54	181 75	1 -	5 3
	<b>Nephritis and nephrosis (590 - 594) .....</b>	M. F.	540 492	6 6	3 4	23 27	22 8	187 238	176 132	24 17	22 13	32 20	44 26	1 -	- 1
590	Acute nephritis .....	M. F.	28 33	1 1	- 1	1 -	- 3	8 16	10 4	2 2	2 2	2 -	2 4	- -	- -
591	Nephritis with oedema, including nephrosis, .....	M. F.	25 20	1 1	- -	2 2	1 1	3 12	7 2	3 -	2 1	4 -	2 1	- -	- -
592	Chronic nephritis .....	M. F.	320 277	- 2	2 3	11 15	13 3	103 116	117 87	14 8	12 7	12 19	35 16	1 -	- 1
593	Nephritis not specified as acute or chronic .....	M. F.	154 155	4 2	1 -	9 10	7 -	67 92	36 37	5 6	6 3	14 1	5 4	- -	- -
594	Other renal sclerosis .....	M. F.	13 7	- -	- -	- -	1 1	6 2	6 2	- 1	- -	- -	- 1	- -	- -
	<b>Other diseases of urinary system (600 - 609).</b> .....	M. F.	587 478	15 12	2 2	34 18	24 18	172 151	160 162	32 19	38 16	29 32	78 46	- -	3 2
600	Infections of kidney .....	M. F.	337 304	11 8	- 2	18 15	16 10	79 74	84 108	18 15	28 12	22 19	58 40	- -	3 1
.0	Pyelitis, pyelocystitis, and pyelonephritis, .....	M. F.	329 295	11 8	- 2	18 14	16 10	79 72	79 104	18 15	27 11	21 19	57 39	- -	3 1
.1	Abscess of kidney and perirenal tissue .....	M. F.	6 3	- -	- -	- -	- -	- -	4 2	- -	- 1	1 -	1 -	- -	- -
.2	Other .....	M. F.	2 6	- -	- -	- 1	- -	- 2	1 2	- -	1 -	- -	- 1	- -	- -
601	Hydronephrosis .....	M. F.	14 8	- -	2 -	- -	- -	5 3	4 2	- -	1 -	- 2	2 1	- -	- -
602	Calculi of kidney and ureter .....	M. F.	49 45	- 4	- -	5 1	- 1	10 6	20 23	3 1	3 1	2 4	6 4	- -	- -
603	Other diseases of kidney and ureter .....	M. F.	77 67	1 -	- -	2 -	4 1	54 54	11 6	2 1	- 1	1 3	2 -	- -	1 -
604	Calculi of other parts of urinary system .....	M. F.	13 5	- -	- -	- -	1 1	7 3	4 1	- -	1 -	- -	- -	- -	- -
605	Cystitis .....	M. F.	29 15	1 -	- -	1 -	1 1	7 5	9 7	3 1	- 1	1 -	6 -	- -	- -
606	Other diseases of bladder .....	M. F.	17 6	1 -	- -	2 -	- 1	3 1	5 1	2 1	1 -	1 1	2 1	- -	- -
607	Urethritis (non-venereal) .....	M. F.	- 2	- -	- -	- -	- -	- -	- 1	- -	- -	- 1	- -	- -	- -
608	Stricture of urethra .....	M. F.	7 -	- -	- -	1 -	1 -	- -	2 -	2 -	- -	- -	1 -	- -	- -
609	Other diseases of urethra .....	M. F.	44 26	1 -	- -	5 2	1 3	7 5	21 13	2 -	4 1	2 2	1 -	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	-	-	-	-	-	-	1	2	13	14	13	19	26	25	18	22	-	M. 584
-	-	-	-	2	-	3	1	4	3	9	17	18	18	23	36	36	27	34	-	F.
-	-	-	-	-	1	-	-	-	2	1	2	3	11	15	17	15	18	20	-	M. 585
-	-	-	-	-	-	1	1	-	2	2	4	3	3	8	20	24	27	26	-	F.
-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	5	4	4	4	-	M. 586
-	-	-	-	-	1	-	1	2	-	1	4	6	2	2	5	5	4	5	-	F.
11	4	6	4	1	2	9	11	7	11	11	6	16	8	17	15	12	9	1	-	M. 587
9	5	7	2	-	-	1	1	2	1	6	5	5	12	9	10	8	6	5	-	F.
-	-	1	-	-	2	7	9	7	8	8	5	9	4	15	14	10	6	1	-	M. .0
-	-	-	-	-	-	1	1	-	1	4	5	5	11	9	10	4	5	4	-	F.
-	-	-	-	-	-	-	-	-	3	3	-	5	2	1	1	2	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	1	1	1	-	F.
11	4	5	4	1	-	2	2	-	-	-	1	2	2	1	-	1	1	-	-	M. .2
9	5	7	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	F.
11	4	5	4	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	M. .A
9	5	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	2	-	-	-	1	2	2	1	-	1	-	-	-	M. .B
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	F.
8	7	11	7	7	11	14	19	23	28	33	43	75	94	149	178	260	267	327	1	M.
6	3	15	9	13	18	9	21	24	25	34	40	51	70	91	110	147	162	159	-	F.
3	4	8	5	6	7	11	13	15	20	26	24	32	45	55	49	63	78	76	-	M.
2	2	12	5	5	14	4	12	12	13	13	17	23	32	35	46	74	81	90	-	F.
-	-	2	1	-	2	3	-	1	-	3	2	1	4	3	1	1	2	2	-	M. 590
1	1	5	4	1	1	1	1	-	1	2	1	2	2	-	2	4	2	5	-	F.
1	2	2	-	-	-	1	-	2	-	-	2	3	-	3	2	4	1	4	-	M. 591
-	1	2	-	-	1	-	-	-	1	-	2	1	2	1	-	3	3	3	-	F.
-	-	1	4	3	5	7	12	8	9	17	12	12	34	33	26	43	44	49	-	M. 592
-	-	3	2	3	11	2	8	11	9	5	10	14	17	24	29	39	42	48	-	F.
2	1	2	-	3	-	-	1	4	8	5	7	16	5	15	20	14	29	22	-	M. 593
1	-	2	1	1	1	1	2	1	3	6	4	6	10	7	15	28	34	32	-	F.
-	-	1	-	-	-	-	-	-	2	1	1	-	2	1	-	1	2	2	-	M. 594
-	-	-	1	-	-	-	1	-	-	-	-	-	1	3	-	-	-	1	-	F.
5	3	3	2	1	4	3	6	8	7	7	18	31	34	63	65	97	101	129	-	M.
4	1	3	3	8	4	4	8	7	9	19	17	27	35	55	60	72	79	63	-	F.
3	1	3	1	1	2	1	3	4	2	4	8	11	21	37	36	63	68	65	-	M. 600
1	1	1	2	7	2	1	5	4	8	14	12	16	20	35	42	50	45	38	-	F.
3	1	3	1	1	2	1	3	4	2	7	8	9	21	37	34	62	66	64	-	M. .0
1	1	1	1	7	2	1	5	4	8	14	11	15	19	34	42	49	44	36	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	F.
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	F.
1	-	-	-	-	-	-	1	1	1	-	1	2	-	1	2	1	1	2	-	M. 601
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	2	-	-	F.
-	-	-	-	-	-	-	1	2	1	-	1	8	6	9	4	7	5	6	-	M. 602
-	-	-	-	-	-	-	1	2	-	1	1	2	6	6	6	6	7	4	-	F.
1	1	-	1	-	2	1	3	1	2	1	4	5	6	3	10	12	5	18	-	M. 603
2	-	2	-	-	1	3	-	1	1	2	2	6	6	6	4	9	13	6	-	F.
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	5	-	3	-	M. 604
-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	6	6	12	-	M. 605
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	6	-	F.
-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	1	2	7	-	M. 606
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 607
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	M. 608
-	1	-	-	-	-	1	-	-	1	-	-	1	3	4	7	6	8	12	-	M. 609
1	-	-	1	-	-	-	1	-	-	-	-	-	-	2	4	2	7	8	-	F.













Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	<b>Other diseases of skin and subcutaneous tissue - Concluded:</b>													
704	Pemphigus .....	M. 4 F. 4	-	-	-	-	2	2	-	-	-	-	-	-
.0	Dermatitis herpetiformis .....	M. - F. -	-	-	1	-	1	1	-	-	1	-	-	-
.1	Other .....	M. 4 F. 4	-	-	1	-	2	2	-	-	1	-	-	-
705	Erythematous conditions .....	M. 6 F. 15	-	-	-	1	1	1	-	-	3	-	1	-
.0	Toxic erythema .....	M. 1 F. -	-	-	2	1	4	7	1	-	1	-	-	-
.1	Erythema multiforme (erythema iris) .....	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-
.4	Lupus erythematosus .....	M. 3 F. 14	-	-	2	1	1	4	6	1	2	-	-	-
.5	Other and unqualified .....	M. 1 F. 1	-	-	-	-	-	-	1	-	-	-	1	-
706	Psoriasis and similar disorders .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.0	Psoriasis .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
708	Pruritus and related conditions .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.3	Lichenification and lichen simplex chronicus .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
709	Corns and callosities .....	M. - F. 1	-	-	-	-	-	-	1	-	-	-	-	-
710	Other hypertrophic and atrophic conditions of skin .....	M. 7 F. 26	-	-	-	1	2	4	2	1	-	1	1	6
.0	Scleroderma and dermatomyositis .....	M. 7 F. 23	-	-	1	1	2	3	2	1	1	1	1	4
.1	Keratoderma .....	M. - F. 2	-	-	-	-	-	-	-	-	-	-	2	-
.5	Other hypertrophic and atrophic conditions of skin .....	M. - F. 1	-	-	-	-	-	1	-	-	-	-	-	-
711	Other dermatoses .....	M. 1 F. 1	-	-	-	-	1	1	-	-	-	-	-	-
715	Chronic ulcer of skin .....	M. 20 F. 24	-	1	-	2	2	6	8	1	1	2	-	-
716	Other diseases of skin .....	M. 1 F. 1	-	-	-	-	-	1	1	-	-	-	-	-
	<b>XIII. Diseases of the bones and organs of movement.</b>	M. 218 F. 253	2	1	12	7	74	79	9	8	13	13	-	-
	<b>Arthritis and rheumatism, except rheumatic fever (720-727).</b>	M. 104 F. 168	-	-	5	3	37	36	3	1	10	9	-	-
720	Acute arthritis due to pyogenic organisms .....	M. 3 F. 2	-	-	-	-	2	1	-	-	-	-	-	-
722	Rheumatoid arthritis and allied conditions .....	M. 55 F. 104	-	-	4	2	12	19	2	1	9	6	-	-
.0	Rheumatoid arthritis .....	M. 50 F. 101	-	-	3	2	10	19	2	1	7	6	-	-
.1	Spondylitis ankylopoietica .....	M. 5 F. 3	-	-	1	-	2	1	-	-	2	-	-	-
723	Osteo-arthritis (arthrosis) and allied conditions .....	M. 23 F. 26	-	-	-	1	12	8	1	-	-	1	3	-
.0	Osteo-arthritis (arthrosis) .....	M. 22 F. 23	-	-	-	1	12	7	1	-	1	1	2	-
.1	Spondylitis osteo-arthritis (spondylarthrosis) .....	M. 1 F. 3	-	-	-	-	1	1	-	-	-	1	-	-
.2	Adult osteochondrosis of spine .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
724	Other specified forms of arthritis .....	M. 3 F. 4	-	-	1	-	1	1	-	-	-	-	-	-
725	Arthritis, unspecified .....	M. 19 F. 29	-	-	-	-	10	7	-	-	1	1	-	-
						4	16	8				1		

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																	Not stated	Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			85+
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	M. 704
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	F. .1
-	-	1	-	-	5	1	1	1	1	1	1	1	1	1	1	1	-	-	-	M. 705
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .1
-	-	1	-	-	5	1	1	1	1	1	1	-	1	-	-	-	-	-	-	M. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 706
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 708
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. 709
1	-	-	-	1	-	1	-	2	1	3	1	5	4	1	3	-	-	-	-	F. 710
-	-	-	-	1	-	1	-	2	1	3	1	5	2	1	3	-	1	-	1	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	F. 711
-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	2	1	4	6	M. 715
1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	3	11	3	5	5	F. 716
7	6	-	8	11	11	4	3	3	4	4	7	16	27	25	21	18	23	20	-	M. 716
5	1	2	2	2	3	2	3	4	4	3	6	15	22	33	32	41	35	40	-	F. 716
-	-	1	-	-	-	1	-	2	1	2	3	8	18	18	15	11	12	14	-	M. 720
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	F. 720
-	-	1	-	-	-	1	-	2	1	2	3	4	12	12	9	4	5	5	-	M. 722
-	-	-	-	-	-	-	-	-	-	-	-	7	13	17	16	19	15	8	-	F. 722
-	-	1	-	-	-	1	-	2	1	1	3	7	11	12	8	4	5	5	-	M. .0
-	-	-	-	-	-	1	-	2	1	1	3	7	12	17	15	19	15	7	-	F. .0
-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	F. .1
-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	3	5	3	4	-	M. 723
-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	7	4	11	-	F. 723
-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	5	3	4	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	7	4	9	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	M. 724
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	F. 724
-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	3	2	1	4	-	M. 725
-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	7	5	6	-	F. 725

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	<b>Arthritis and rheumatism, except rheumatic fever - Concluded:</b>													
726	Muscular rheumatism .....	M. 1 F. -	-	-	-	-	-	-	-	-	-	-	1	-
.0	Lumbago.....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other muscular rheumatism, fibrositis, and myalgia.	M. 1 F. -	-	-	-	-	-	-	-	-	-	-	1	-
727	Rheumatism unspecified .....	M. - F. 3	-	-	-	-	-	1	-	-	-	2	-	-
	<b>Osteomyelitis and other diseases of bone and joint (730-738).</b>	M. 41 F. 44	-	1	3	1	15	14	4	1	2	-	-	-
730	Osteomyelitis and periostitis.....	M. 9 F. 6	-	-	-	1	2	4	-	1	1	-	-	-
.0	Acute osteomyelitis.....	M. - F. 1	-	-	-	-	-	-	-	-	-	-	-	-
.1	Chronic osteomyelitis .....	M. 4 F. 2	-	-	-	-	2	2	-	-	-	-	-	-
.2	Unspecified osteomyelitis .....	M. 5 F. 3	-	-	-	1	-	2	-	1	1	-	-	-
731	Osteitis deformans.....	M. 14 F. 12	-	-	2	-	7	2	2	-	1	-	-	-
732	Osteochondrosis.....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
733	Other diseases of bone .....	M. 12 F. 20	-	1	-	3	5	4	2	-	-	-	-	-
734	Internal derangement of knee joint .....	M. - F. 1	-	-	-	-	-	-	1	-	-	-	-	-
735	Displacement of intervertebral disc .....	M. 6 F. 1	-	-	1	-	1	4	-	-	-	-	-	-
736	Affection of sacro-iliac joint .....	M. - F. 1	-	-	-	-	-	-	-	-	-	-	-	-
737	Ankylosis of joint .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.0	Of spine.....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint .....	M. - F. 3	-	-	-	-	-	1	2	-	-	-	-	-
	<b>Other diseases of musculoskeletal system (740-749).</b>	M. 73 F. 43	2	-	4	3	22	29	2	6	1	4	-	-
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
744	Other diseases of muscle, tendon, and fascia.	M. 64 F. 34	2	-	4	3	17	26	1	6	1	4	-	-
.0	Myasthenia gravis.....	M. 6 F. 11	-	-	-	-	2	2	-	2	-	-	-	-
.1	Inborn defect of muscle.....	M. 53 F. 17	2	-	2	3	13	23	1	4	1	4	-	-
.2	Other .....	M. 5 F. 6	-	-	2	-	2	1	-	-	-	2	-	-
745	Curvature of spine .....	M. 7 F. 9	-	-	-	-	4	3	-	-	-	-	-	-
748	Clubfoot.....	M. - F. 1	-	-	-	-	-	1	-	-	-	-	-	-
749	Other deformities .....	M. 1 F. -	-	-	-	-	-	-	1	-	-	-	-	-



Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>XIV. Congenital malformations</b> .....	M. F.	1,122 1,006	34 39	8 10	52 33	31 25	390 362	344 329	49 34	48 35	88 61	76 76	- -	2 2
	<b>Congenital malformations (750-759)</b> .....	M. F.	1,122 1,006	34 39	8 10	52 33	31 25	390 362	344 329	49 34	48 35	88 61	76 76	- -	2 2
750	Monstrosity .....	M. F.	59 87	3 1	- 1	5 1	2 3	23 39	12 26	2 3	6 4	1 3	4 6	- -	1 -
751	Spina bifida and meningocele .....	M. F.	115 147	2 9	- 2	4 3	3 7	53 69	38 45	- 7	2 -	5 2	8 3	- -	- -
A	Without hydrocephalus .....	M. F.	46 61	1 5	- 1	2 -	1 2	23 34	12 14	- 3	- -	3 -	4 2	- -	- -
B	With hydrocephalus .....	M. F.	69 86	1 4	- 1	2 3	2 5	30 35	26 31	- 4	2 -	2 2	4 1	- -	- -
752	Congenital hydrocephalus .....	M. F.	72 58	3 -	- 1	3 3	3 2	27 19	22 24	2 -	4 2	3 4	5 3	- -	- -
753	Other congenital malformations of nervous system and sense organs.	M. F.	41 54	- 2	- -	1 2	1 1	11 18	17 23	3 3	3 2	1 1	4 2	- -	- -
.0	Congenital cataract .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Other .....	M. F.	41 54	- 2	- -	1 2	1 1	11 18	17 23	3 3	3 2	1 1	4 2	- -	- -
754	Congenital malformations of circulatory system.	M. F.	522 445	15 14	5 4	22 19	14 5	192 142	155 150	22 15	22 21	49 34	26 41	- -	- -
.0	Tetralogy of Fallot .....	M. F.	35 32	3 1	1 -	3 1	- 1	7 8	12 12	2 -	2 2	4 3	1 4	- -	- -
.1	Patent ductus arteriosus (Botalli) .....	M. F.	22 29	- 1	- -	1 -	1 -	6 4	2 14	3 -	2 -	6 2	1 8	- -	- -
.2	Interventricular septal defect .....	M. F.	57 56	1 -	- -	1 3	- 1	20 16	20 24	4 3	3 1	4 3	4 5	- -	- -
.3	Interauricular septal defect .....	M. F.	32 44	2 1	2 -	1 -	- 1	16 13	6 16	- 1	1 2	2 4	2 6	- -	- -
.4	Fibroelastosis cordis .....	M. F.	17 21	- 1	1 1	1 -	- -	8 6	5 8	- 1	- 1	- 1	2 2	- -	- -
.5	Other and unspecified malformations of heart.	M. F.	264 215	7 6	1 3	14 12	9 2	105 85	78 57	11 6	8 12	22 20	9 12	- -	- -
.6	Coarctation of aorta .....	M. F.	33 11	- -	- -	1 1	2 -	12 3	12 3	- -	2 2	3 1	1 1	- -	- -
.7	Other circulatory malformations .....	M. F.	62 37	2 4	- -	- 2	2 -	18 7	20 16	2 4	4 1	8 -	6 3	- -	- -
755	Cleft palate and harelip .....	M. F.	6 10	- -	- -	- -	2 -	1 5	- 1	- 1	- -	- 1	3 2	- -	- -
756	Congenital malformations of digestive system.	M. F.	112 65	3 4	1 1	6 -	5 2	27 22	38 17	6 1	7 1	11 7	8 9	- -	1 -
.0	Congenital hypertrophic pyloric stenosis .....	M. F.	6 1	- -	- -	1 -	- -	3 -	1 -	1 -	- -	- -	1 -	- -	- -
.1	Imperforate anus .....	M. F.	12 3	- -	- -	- -	1 -	2 2	6 1	1 -	- -	1 -	1 -	- -	- -
.2	Other .....	M. F.	94 61	3 4	1 1	5 -	4 2	22 20	31 16	4 1	7 1	10 7	7 8	- -	1 1
757	Congenital malformations of genito-urinary system.	M. F.	84 68	3 2	2 1	5 -	1 3	21 23	33 23	5 3	2 3	5 6	7 4	- -	- -
.0	Undescended testicle .....	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Polycystic disease of kidney .....	M. F.	44 40	2 2	- 1	4 -	1 2	10 9	15 17	3 2	- 2	4 3	5 2	- -	- -
.2	Congenital malformations of external genital organs.	M. F.	1 2	- -	- -	- -	- -	- 1	1 1	- -	- -	- -	- -	- -	- -
.3	Other .....	M. F.	39 26	1 -	2 -	1 -	- 1	11 13	17 5	2 1	2 1	1 3	2 2	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																	Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85+	Not stated
788	115	34	32	27	13	12	9	9	12	10	5	21	9	8	6	3	5	4	-	M.
708	104	37	25	16	14	7	7	9	14	10	9	17	9	8	5	4	1	2	-	F.
788	115	34	32	27	13	12	9	9	12	10	5	21	9	8	6	3	5	4	-	M.
708	104	37	25	16	14	7	7	9	14	10	9	17	9	8	5	4	1	2	-	F.
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 750
85	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
98	11	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. 751
128	11	4	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
39	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. A
53	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
59	7	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. B
75	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
37	23	4	3	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	M. 752
37	11	5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
15	14	7	2	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	M. 753
23	15	9	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
15	14	7	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
23	15	9	3	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	F.
361	43	18	21	22	9	8	4	6	6	4	2	11	-	5	1	-	-	1	-	M. 754
292	53	15	13	11	9	6	5	6	8	2	5	8	1	7	2	-	-	2	-	F.
16	6	6	1	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	M. .0
15	9	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
19	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. .1
23	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	F.
35	5	5	4	2	1	2	-	-	-	2	-	-	-	1	-	-	-	-	-	M. .2
31	12	6	2	1	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	F.
25	1	1	-	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	M. .3
19	1	2	-	2	2	-	1	3	2	1	3	4	-	3	2	-	-	1	-	F.
11	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. .4
12	3	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	F.
191	19	4	10	10	3	3	3	4	3	2	1	8	-	1	1	-	-	1	-	M. .5
158	21	3	4	3	5	3	4	-	4	1	2	2	1	3	-	-	-	1	-	F.
23	1	-	2	2	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	M. .6
8	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
41	7	1	3	3	1	2	1	-	2	-	-	-	-	1	-	-	-	-	-	M. .7
26	4	-	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 755
9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
88	11	-	2	2	-	1	1	-	1	-	-	1	1	-	2	1	1	-	-	M. 756
53	4	1	-	1	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-	F.
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
70	11	-	2	2	-	1	1	-	1	-	-	1	1	-	2	1	1	-	-	M. .2
49	4	1	-	1	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-	F.
44	3	1	2	-	-	-	1	2	3	3	1	6	6	1	3	2	4	2	-	M. 757
24	2	1	4	-	1	1	-	2	5	7	3	7	7	1	-	2	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
15	-	-	1	-	-	-	-	1	3	2	1	5	5	1	2	2	4	2	-	M. .1
9	1	-	-	-	-	-	-	2	4	6	2	6	7	1	-	1	1	-	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
29	2	1	1	-	-	1	1	1	1	1	-	1	1	-	1	-	-	-	-	M. .3
13	1	1	4	-	1	1	-	-	1	1	1	1	-	-	-	1	-	-	-	F.





Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>Birth injuries, asphyxia and infections of newborn—Concluded:</b>														
766	Pemphigus neonatorum ..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	..... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Without mention of immaturity ..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	..... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	With immaturity ..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	..... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767	Umbilical sepsis ..... M.	4	1	-	-	-	-	2	-	-	-	1	-	-	-
	..... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Without mention of immaturity ..... M.	4	1	-	-	-	-	2	-	-	-	1	-	-	-
	..... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	With immaturity ..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	..... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	Other sepsis of newborn ..... M.	21	3	-	-	1	1	12	-	-	2	1	-	1	
	..... F.	18	4	-	1	1	2	5	1	1	-	3	-	-	
.0	Without mention of immaturity ..... M.	12	1	-	-	-	1	7	-	-	2	-	-	1	
	..... F.	5	2	-	-	1	1	1	-	1	-	-	-	-	
.5	With immaturity ..... M.	9	2	-	-	1	-	5	-	-	-	1	-	-	
	..... F.	13	2	-	1	-	2	4	1	-	-	3	-	-	
769	Neonatal disorders arising from certain M.	26	-	-	1	1	6	13	-	3	1	-	-	1	
	diseases of the mother during preg- F.	19	1	-	-	-	5	8	1	-	2	2	-	-	
.0	Attributed to "toxaemia of pregnancy", M.	4	-	-	1	-	-	2	-	1	-	-	-	-	
	without mention of immaturity. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Attributed to maternal diabetes, without M.	2	-	-	-	-	-	2	-	-	-	-	-	-	
	mention of immaturity. F.	2	-	-	-	-	1	1	-	-	-	-	-	-	
.2	Attributed to maternal rubella, without M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	mention of immaturity. F.	1	-	-	-	-	1	-	-	-	-	-	-	-	
.3	Attributed to toxoplasmosis, without M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	mention of immaturity. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Attributed to other or unspecified dis- M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	eases of the mother during pregnancy F.	1	-	-	-	-	1	-	-	-	-	-	-	-	
.5	Attributed to "toxaemia of pregnancy", M.	10	-	-	-	-	3	5	-	1	1	-	-	-	
	with immaturity. F.	6	1	-	-	-	1	1	-	-	2	1	-	-	
.6	Attributed to maternal diabetes, with M.	4	-	-	-	1	1	2	4	-	-	-	-	-	
	immaturity. F.	4	-	-	-	-	1	3	-	-	-	-	-	-	
.7	Attributed to maternal rubella, with im- M.	1	-	-	-	-	-	-	-	-	-	-	-	1	
	maturity. F.	1	-	-	-	-	-	1	-	-	-	-	-	-	
.8	Attributed to toxoplasmosis, with imma- M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	turity. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Attributed to other or unspecified dis- M.	4	-	-	-	-	2	1	-	1	-	-	-	-	
	eases of the mother during pregnancy F.	4	-	-	-	-	-	2	1	-	1	-	-	-	
	with immaturity.														
	<b>Other diseases peculiar to early infancy M.</b>	<b>1,572</b>	<b>88</b>	<b>10</b>	<b>77</b>	<b>75</b>	<b>402</b>	<b>472</b>	<b>66</b>	<b>108</b>	<b>133</b>	<b>131</b>	<b>1</b>	<b>9</b>	
	<b>(770-776). F.</b>	<b>1,142</b>	<b>67</b>	<b>9</b>	<b>50</b>	<b>51</b>	<b>307</b>	<b>328</b>	<b>47</b>	<b>68</b>	<b>109</b>	<b>99</b>	<b>2</b>	<b>5</b>	
770	Haemolytic disease of newborn (erythro- M.	86	4	-	3	3	36	25	2	3	5	5	-	-	
	blastosis). F.	63	3	-	1	1	25	20	-	6	4	3	-	-	
.0	Erythroblastosis, without mention of M.	41	3	-	-	2	13	17	-	2	3	1	-	-	
	nervous affection or immaturity. F.	34	2	-	1	-	10	13	-	3	2	3	-	-	
.1	Kernicterus, without mention of imma- M.	4	-	-	1	-	-	1	1	-	-	1	-	-	
	turity. F.	1	-	-	-	-	-	1	-	-	-	-	-	-	
.2	Erythroblastosis with disorder of liver M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	other than icterus gravis, without F.	5	-	-	-	-	-	3	-	-	2	-	-	-	
.5	Erythroblastosis, without mention of nerv- M.	39	1	-	1	1	23	6	1	1	2	3	-	-	
	ous affection but with immaturity. F.	20	1	-	-	1	15	2	-	1	-	-	-	-	
.6	Kernicterus with immaturity ..... M.	1	-	-	1	-	-	-	-	-	-	-	-	-	
	..... F.	2	-	-	-	-	-	-	-	2	-	-	-	-	
.7	Erythroblastosis with disorder of liver M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	other than icterus gravis, with imma- F.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	turity.														
771	Haemorrhagic disease of newborn ..... M.	37	-	-	3	1	13	15	2	1	1	1	-	-	
	..... F.	24	-	1	-	-	12	2	2	2	3	2	-	-	
.0	Without mention of immaturity ..... M.	19	-	-	2	1	8	5	1	1	-	1	-	-	
	..... F.	15	-	1	-	-	6	1	1	2	3	1	-	-	
.5	With immaturity ..... M.	18	-	-	1	-	5	10	1	-	1	-	-	-	
	..... F.	9	-	-	-	-	6	1	1	-	-	1	-	-	



Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	<b>Other diseases peculiar to early infancy - Concluded:</b>														
772	Nutritional maladjustment..... M.	9	-	-	-	2	3	2	1	1	-	-	-	-	-
	F.	9	-	-	1	-	4	2	1	-	1	-	-	-	-
.0	Without mention of immaturity..... M.	8	-	-	-	1	3	2	1	1	-	-	-	-	-
	F.	9	-	-	1	-	4	2	1	-	1	-	-	-	-
.5	With immaturity..... M.	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773	Ill-defined diseases peculiar to early infancy. M.	636	46	2	32	25	165	175	30	43	68	45	1	4	
	F.	398	35	1	22	11	100	103	22	20	54	29	-	1	
.0	Without mention of immaturity..... M.	162	11	1	5	10	32	37	6	15	30	13	-	2	
	F.	129	18	-	6	7	25	26	5	7	26	8	-	1	
.5	With immaturity..... M.	474	35	1	27	15	133	138	24	28	38	32	1	2	
	F.	269	17	1	16	4	75	77	17	13	28	21	-	-	
774	Immaturity with mention of any other subsidiary condition. M.	29	3	-	-	1	6	14	1	-	2	2	-	-	
	F.	21	3	-	-	-	5	5	1	3	1	3	-	-	
776	Immaturity unqualified..... M.	775	35	8	39	43	179	241	30	60	57	78	-	5	
	F.	627	26	7	26	39	161	196	21	37	46	62	2	4	
	<b>XVI. Symptoms, senility, and ill-defined conditions.</b>														
	M.	510	50	4	14	15	91	91	20	25	184	13	-	3	
	F.	467	53	4	17	14	100	108	26	27	93	23	-	2	
	<b>Symptoms referable to systems or organs (780 - 789).</b>														
	M.	91	13	4	3	2	27	10	7	7	15	1	-	2	
	F.	78	5	3	2	3	32	12	4	2	12	2	-	1	
780	Certain symptoms referable to nervous system and special senses. M.	2	-	-	-	-	-	1	-	1	-	-	-	-	
	F.	2	-	-	-	-	-	-	-	1	1	-	-	-	
.0	Coma and stupor..... M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Convulsions..... M.	1	-	-	-	-	-	-	-	1	-	-	-	-	
	F.	1	-	-	-	-	-	-	-	1	-	-	-	-	
.3	Jacksonian epilepsy..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	1	-	-	-	-	-	-	-	-	1	-	-	-	
.4	Abnormal involuntary movement..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
781	Other symptoms referable to nervous system and special senses. M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	F.	1	-	-	-	-	-	-	1	-	-	-	-	-	
.8	Encephalopathy..... M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	F.	1	-	-	-	-	-	-	1	-	-	-	-	-	
782	Symptoms referable to cardiovascular and lymphatic system. M.	70	13	3	1	2	24	4	4	5	11	1	-	2	
	F.	63	5	2	1	2	30	8	1	1	11	2	-	-	
.4	Acute heart failure, undefined..... M.	66	13	3	-	2	22	4	4	5	11	-	-	2	
	F.	59	5	2	1	2	29	5	1	1	11	2	-	-	
.5	Syncope or collapse..... M.	3	-	-	-	-	2	-	-	-	-	1	-	-	
	F.	1	-	-	-	-	1	-	-	-	-	-	-	-	
.6	Oedema and dropsy (not of newborn).... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Enlargement of lymph node..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Splenomegaly..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Shock without mention of trauma..... M.	1	-	-	1	-	-	-	-	-	-	-	-	-	
	F.	3	-	-	-	-	-	3	-	-	-	-	-	-	
783	Symptoms referable to respiratory system. M.	6	-	-	-	-	2	1	1	1	1	-	-	-	
	F.	3	-	-	1	-	1	-	-	-	-	-	-	1	
.0	Epistaxis..... M.	1	-	-	-	-	-	-	-	1	-	-	-	-	
	F.	1	-	-	1	-	-	-	-	-	-	-	-	-	
.1	Haemoptysis..... M.	5	-	-	-	-	2	1	1	-	1	-	-	-	
	F.	2	-	-	-	-	1	-	-	-	-	-	-	1	
.3	Cough..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
784	Symptoms referable to upper gastro-intestinal tract. M.	8	-	1	1	-	-	2	2	-	2	-	-	-	
	F.	5	-	1	-	1	1	1	1	-	-	-	-	-	
.0	Anorexia..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	1	-	-	-	-	1	-	-	-	-	-	-	-	
.1	Nausea and vomiting..... M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Haematemesis..... M.	8	-	1	1	-	-	2	2	-	2	-	-	-	
	F.	4	-	1	-	1	-	1	1	-	-	-	-	-	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 772
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
636	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 774
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 774
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
775	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 776
627	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
2	4	-	4	2	6	5	8	8	20	23	20	34	33	52	39	55	65	128	2	M. .5
2	8	1	1	2	3	3	2	5	10	6	9	13	11	22	37	57	70	205	-	F. .5
2	2	-	-	-	-	1	-	2	1	7	3	4	6	10	9	12	13	19	-	M. .5
2	1	-	-	-	-	-	-	-	2	1	5	2	5	6	12	9	12	21	-	F. .5
1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 780
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F. .0
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .4
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. 781
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F. .8
-	2	-	-	-	-	-	-	2	1	3	2	3	4	6	8	11	12	16	-	M. 782
1	-	-	-	-	-	-	-	-	1	1	5	1	4	5	10	8	11	16	-	F. .4
-	1	-	-	-	-	-	-	1	1	3	2	3	3	6	8	10	12	16	-	M. .4
1	1	-	-	-	-	-	-	-	1	1	5	1	4	4	9	7	10	16	-	F. .4
-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	M. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F. .9
-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	-	-	-	-	M. 783
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	2	-	M. 784
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	F. .5

Deaths from Each Cause for Provinces By Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence													
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.		
	<b>Symptoms referable to systems or organs—Concluded:</b>															
785	Symptoms referable to abdomen and lower gastro-intestinal tract.	M. F.	3 3	— —	— —	— —	— —	1 —	1 2	— 1	— —	1 —	— —	— —	— —	— —
.1	Hepatomegaly .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.2	Jaundice (not of newborn) .....	M. F.	1 —	— —	— —	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —
.3	Ascites .....	M. F.	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
.5	Abdominal pain .....	M. F.	1 —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
.6	Diarrhoea, age 2 years and over .....	M. F.	1 1	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —
786	Symptoms referable to genito-urinary system.	M. F.	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
.0	Pain referable to urinary system .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.1	Retention of urine .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.5	Oliguria, anuria (not of newborn) .....	M. F.	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
788	Other general symptoms .....	M. F.	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.0	Dehydration .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.5	Tetany .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.6	Acidosis .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.8	Pyrexia of unknown origin .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.9	Other specified symptoms not classifiable elsewhere.	M. F.	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
789	Abnormal urinary constituents of unspecified cause.	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.4	Haematuria .....	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	<b>Senility and ill-defined diseases (790-795).</b>	M. F.	<b>419 389</b>	<b>37 48</b>	<b>— 1</b>	<b>11 15</b>	<b>13 11</b>	<b>64 68</b>	<b>81 96</b>	<b>13 22</b>	<b>18 23</b>	<b>169 81</b>	<b>12 21</b>	<b>— —</b>	<b>— —</b>	<b>1 1</b>
790	Nervousness and debility .....	M. F.	1 4	— —	— —	— —	— —	— —	1 3	— —	— —	— 1	— —	— —	— —	— —
.1	Debility and undue fatigue .....	M. F.	1 2	— —	— —	— —	— —	— 1	2 —	— —	— —	— —	— —	— —	— —	— —
.2	Depression .....	M. F.	— 2	— —	— —	— —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
792	Uraemia .....	M. F.	29 31	— 3	— 1	1 3	3 3	11 15	11 3	2 1	— 1	1 —	— —	— —	— —	— —
794	Senility without mention of psychosis .....	M. F.	120 201	23 27	— —	6 9	3 6	25 34	20 55	8 14	11 19	18 21	5 16	— —	— —	1 —
795	Ill-defined and unknown causes of mortality.	M. F.	269 153	14 18	— —	4 2	7 2	28 19	49 35	3 7	7 5	150 59	7 5	— —	— —	— 1
.0	Other ill-defined conditions .....	M. F.	8 6	3 1	— —	— —	— —	1 3	1 1	1 —	— 1	2 —	— —	— —	— —	— —
.2	Sudden death (cause unknown) .....	M. F.	24 10	1 —	— —	— 1	6 2	7 3	2 2	— 1	— —	8 1	— —	— —	— —	— —
.3	Found dead (cause unknown) .....	M. F.	7 8	— —	— —	— —	— —	1 3	2 3	— —	— —	— —	3 2	— —	— —	— —
.4	Died without sign of disease .....	M. F.	110 57	1 1	— —	2 —	— —	3 —	12 12	— 2	— —	89 42	1 —	— —	— —	— —
.5	Other, unknown and unspecified causes .....	M. F.	120 72	9 16	— —	2 1	— —	16 10	32 17	2 4	4 4	51 16	3 3	— —	— —	— 1

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																			Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	-	M. 785
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 786
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F. .5
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 788
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 789
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .4
-	2	-	4	2	6	4	8	6	19	16	17	30	27	42	30	43	52	109	2	M. 790	
-	7	1	1	2	3	3	2	5	8	5	4	11	6	16	25	48	58	184	-	F. .1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. 791
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	M. 792
-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	5	6	12	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	9	13	13	-	-	M. 794
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	10	30	75	-	-	F. .4
-	2	-	4	2	6	4	8	6	19	15	16	28	26	41	24	28	16	22	2	M. 795	
-	7	1	1	2	3	3	2	5	8	4	3	11	5	13	19	28	9	29	-	F. .0	
-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	1	1	-	-	M. .2
-	1	-	-	-	2	-	-	-	1	2	1	2	4	5	1	2	3	1	-	-	F. .3
-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	1	1	1	-	M. .4
-	-	-	-	1	-	-	2	2	6	4	8	13	12	23	12	10	6	11	-	-	F. .5
-	2	-	4	1	3	3	6	3	12	9	6	12	10	13	8	14	5	8	1	M. .5	
-	4	1	1	1	-	1	1	3	4	2	2	5	3	6	6	13	7	12	-	-	F. .5









Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
<b>Accidental poisoning by solid and liquid substances - Concluded:</b>														
E882	-by industrial solvents.....	M. F.	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
E883	-by corrosive aromatics, acids, and caustic alkalis.	M. F.	5 2	- -	1 -	- -	- 1	3 1	- -	- -	- -	1 -	- -	- -
E884	-by mercury and its compounds .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E885	-by lead and its compounds .....	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
E886	-by arsenic and antimony, and their compounds.	M. F.	2 -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -
E887	-by fluorides .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E888	-by other and unspecified solid and liquid substances.	M. F.	67 39	- -	1 -	3 1	5 5	22 16	2 1	2 -	1 1	31 15	- -	- -
<b>Accidental poisoning by gases and vapours (E890 - E895).</b>														
E890	-by utility (illuminating) gas.....	M. F.	14 3	- -	- -	1 -	4 1	1 1	1 -	- -	4 -	3 1	- -	- -
E891	-by motor vehicle exhaust gas .....	M. F.	105 23	- -	2 -	5 -	2 4	21 10	37 3	5 1	6 3	20 7	7 2	- -
E892	-by other carbon monoxide gas .....	M. F.	13 2	- -	- -	- -	- 1	6 1	6 -	- -	- -	- 1	1 -	- -
E893	-by cyanide gas.....	M. F.	2 -	- -	- -	- -	- 1	1 -	- -	- -	- -	- -	- -	- -
E894	-by other specified gases and vapours	M. F.	4 -	- -	- -	- -	- -	- -	- -	- -	3 -	1 -	- -	- -
E895	-by unspecified gases and vapours .....	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
<b>Accidental falls (E900 - E904)</b>														
E900	Fall on stairs .....	M. F.	150 85	- 1	5 3	1 2	26 18	74 44	9 5	8 3	12 2	15 7	- -	- -
E901	Fall from ladders .....	M. F.	16 -	- -	1 -	- -	3 -	8 -	- -	1 -	1 -	2 -	- -	- -
E902	Other falls from one level to another .....	M. F.	250 121	9 -	1 1	7 4	6 5	68 15	89 60	12 5	15 9	17 13	25 9	- 1
E903	Fall on same level.....	M. F.	214 315	5 19	1 1	3 10	4 1	44 47	96 172	6 10	11 11	30 36	14 8	- -
E904	Unspecified falls .....	M. F.	235 318	2 -	2 4	9 24	6 10	73 86	65 79	15 26	13 14	11 10	39 65	- -
<b>Other accidents (E910 - E936)</b>														
E910	Blow from falling or projected object or missile.	M. F.	212 6	3 -	1 -	7 -	4 -	65 4	40 2	10 -	20 -	12 -	50 -	- -
E911	Accident caused by vehicle .....	M. F.	6 -	- -	2 -	- -	- -	1 -	- -	1 -	- -	2 -	- -	- -
E912	Accident caused by machinery.....	M. F.	238 16	4 1	3 -	9 -	7 -	54 2	81 8	13 2	16 1	20 1	30 1	- 1
E913	Accident caused by cutting and piercing instruments.	M. F.	10 2	- 1	1 -	- -	2 -	2 -	3 -	- -	- -	1 1	1 -	- -
E914	Accident caused by electric current .....	M. F.	82 5	1 -	1 -	5 -	5 -	23 1	33 3	2 -	5 -	3 1	4 1	- -
E915	Accident caused by explosion of pressure vessel.	M. F.	10 1	- -	- -	- -	- -	8 1	1 -	- -	- -	1 -	- -	- -
E916	Accident caused by fire and explosion of combustible material.	M. F.	441 288	15 6	3 2	22 21	21 10	88 62	128 104	31 20	23 11	36 18	70 34	1 -
E917	Accident caused by hot substance, corrosive liquid, and steam.	M. F.	24 15	- 2	- -	- 2	3 -	7 2	6 4	1 2	1 -	2 1	4 2	- -
E918	Accident caused by radiation .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E919	Accident caused by firearm .....	M. F.	142 13	4 2	- -	2 -	8 -	38 3	32 1	13 1	12 3	14 -	15 1	3 2
E920	Foreign body entering eye and adnexa .....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E921	Inhalation and ingestion of food causing obstruction or suffocation.	M. F.	219 159	11 1	1 1	6 4	7 2	44 34	91 77	20 10	15 12	12 3	11 9	- 1
E922	Inhalation and ingestion of other object causing obstruction or suffocation.	M. F.	20 7	1 -	1 -	1 -	- -	7 3	6 2	- -	- 1	2 1	2 -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E882
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	M. E883
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E884
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. E885
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E886
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E887
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	1	1	-	1	4	5	2	9	9	8	9	7	5	5	-	-	-	-	1	1	M. E888
-	1	-	-	-	2	-	2	5	5	5	5	5	5	1	-	-	-	1	-	-	F.
-	2	1	1	9	23	15	11	12	17	11	10	10	6	6	-	2	3	-	-	-	M.
-	-	-	1	6	3	6	2	2	1	1	3	2	1	1	-	-	-	-	-	-	F.
-	1	-	-	4	1	1	1	-	1	-	-	1	-	-	-	1	2	-	-	-	M. E890
-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	F.
-	-	-	1	4	22	13	9	9	14	8	7	5	4	-	1	1	-	-	-	-	M. E891
-	-	-	1	6	3	4	1	1	1	1	3	1	1	-	-	-	-	-	-	-	F.
-	-	1	1	1	-	1	1	-	2	2	2	1	-	1	-	-	-	-	-	-	M. E892
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	M. E893
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	M. E894
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E895
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
10	11	8	17	23	25	15	19	14	42	35	44	43	44	60	68	86	109	192	-	M.	
9	11	1	2	4	2	1	5	9	4	16	11	23	24	34	48	101	181	353	-	F.	
2	1	1	2	2	1	-	1	6	10	9	16	13	11	19	15	15	13	13	-	M. E900	
-	5	-	-	-	1	-	-	4	2	4	4	9	10	6	9	8	13	9	-	F.	
-	1	-	-	-	1	-	-	-	-	-	1	3	4	2	1	1	-	-	-	-	M. E901
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
5	8	5	12	17	21	11	14	6	16	13	13	13	10	16	11	15	15	29	-	M. E902	
6	6	-	2	3	-	-	2	1	1	6	-	1	2	3	5	15	20	48	-	F.	
-	-	-	1	1	1	3	2	1	7	3	6	6	12	11	21	22	48	69	-	M. E903	
2	-	-	1	1	-	-	2	1	-	3	4	7	6	14	14	39	65	157	-	F.	
3	1	2	2	3	1	1	2	1	9	9	6	7	9	13	19	33	33	81	-	M. E904	
1	-	1	-	-	1	1	-	3	1	3	3	6	6	11	20	39	83	139	-	F.	
220	219	184	163	207	216	120	128	141	135	103	110	115	101	71	63	49	49	24	4	M.	
175	140	78	45	25	27	24	15	30	27	18	25	35	25	21	17	18	29	20	1	F.	
-	4	5	6	11	34	19	23	26	14	16	19	10	16	4	1	2	2	-	-	-	M. E910
-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	M. E911
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	17	9	14	16	24	16	20	26	12	11	16	21	15	8	6	3	2	2	-	-	M. E912
-	7	1	2	1	1	1	-	-	1	1	1	-	1	1	1	-	-	-	-	-	F.
-	-	-	1	-	-	-	1	-	-	3	2	-	1	1	-	1	-	-	-	-	M. E913
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	3	8	12	16	10	8	6	10	1	1	5	-	1	-	-	1	-	-	-	M. E914
-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	F.
-	1	-	-	-	1	-	-	5	1	2	-	-	-	-	-	-	-	-	-	-	M. E915
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
3	72	43	13	6	25	15	18	22	35	19	31	25	22	21	12	24	26	9	-	M. E916	
13	61	42	12	8	11	7	9	9	13	6	15	14	10	9	11	13	13	12	-	F.	
-	1	8	-	-	-	-	1	1	2	-	-	1	1	1	3	2	1	2	-	-	M. E917
-	6	-	-	-	-	-	-	1	-	-	-	2	-	1	2	2	1	2	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E918
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	3	11	19	33	13	12	6	12	5	6	6	9	5	-	1	1	-	-	-	-	M. E919
-	1	1	3	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E920
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
124	11	4	1	4	3	4	5	5	10	3	4	9	6	3	11	6	2	4	-	-	M. E921
98	13	-	1	1	2	-	1	5	3	3	2	6	3	6	1	1	8	5	-	-	F.
10	4	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	M. E922
2	2	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
<b>Other accidents - Concluded:</b>														
E923	Foreign body entering other orifice .....	M. 16 F. 3	-	-	1	1	3	8	-	1	-	2	-	-
E924	Accidental mechanical suffocation in bed and cradle.	M. 71 F. 47	2	-	-	6	12	30	6	4	2	7	-	2
E925	Accidental mechanical suffocation in other and unspecified circumstances.	M. 29 F. 8	1	1	1	-	4	9	1	2	2	6	1	1
E926	Lack of care of infants under 1 year of age.	M. 2 F. 1	-	-	-	-	-	1	-	-	-	1	-	-
E927	Accidents caused by bites and stings of venomous animals and insects.	M. 2 F. -	-	-	-	-	-	1	-	-	-	1	-	-
E928	Other accidents caused by animals .....	M. 22 F. 9	1	-	-	1	12	5	-	2	1	3	1	-
E929	Accidental drowning .....	M. 731 F. 149	33	9	35	22	259	188	30	16	48	84	2	5
E930	High and low air pressure .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation .....	M. 4 F. -	-	-	1	-	-	2	-	1	-	-	-	-
E932	Excessive cold .....	M. 50 F. 24	1	1	4	3	11	14	4	7	1	4	-	-
E933	Hunger, thirst, and exposure .....	M. 8 F. 4	1	-	-	-	-	2	1	2	2	-	-	-
E934	Cataclysm .....	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-
E935	Lightning .....	M. 5 F. 4	-	-	-	-	2	3	-	-	-	1	-	-
E936	Other and unspecified accidents .....	M. 77 F. 34	3	-	1	1	23	22	6	3	8	9	-	1
	Complications due to nontherapeutic medical and surgical procedures (E940-F. E946).	M. 2 F. -	-	-	-	-	-	1	-	-	-	-	-	-
E940	Generalized vaccinia following vaccination.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E941	Postvaccinal encephalitis .....	M. 1 F. -	-	-	-	-	1	-	-	-	-	-	-	-
E944	Other complications of prophylactic inoculation.	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-
E945	Complications of anaesthesia for nontherapeutic purpose.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E946	Other complications due to nontherapeutic medical and surgical procedures.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959).	M. 1 F. 2	-	-	-	-	1	-	-	-	-	-	-	-
E951	Therapeutic misadventure in infusion or transfusion.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E953	Therapeutic misadventure in administration of drugs or biologicals.	M. 1 F. 2	-	-	-	-	1	-	-	-	-	-	-	-
E954	Therapeutic misadventure in anaesthesia.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E955	Other and unspecified therapeutic misadventure.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
	Late effects of injury and poisoning (E960-E965).	M. 55 F. 13	-	-	4	-	7	31	2	2	1	8	-	-
E960	Late effect of motor vehicle accident .....	M. 13 F. 5	-	-	1	-	1	9	1	2	-	1	-	-
E961	Late effect of accidental poisoning .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E962	Late effect of other accidental injury .....	M. 34 F. 8	-	-	3	-	6	18	-	1	1	6	-	-
E963	Late effect of self-inflicted injury .....	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E964	Late effect of injury purposely inflicted by another person (not in war).	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
E965	Late effects of injuries due to war operations.	M. 8 F. -	-	-	1	-	-	4	1	-	-	2	-	-



Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	<b>Suicide (E970-E979)</b>	M. 1,353 F. 488	8 2	5 5	50 7	25 5	294 102	538 217	80 21	62 20	110 27	177 82	2 -	2 -
E970	- poisoning by analgesic and soporific substances.	M. 101 F. 162	- -	- -	1 1	1 -	22 40	49 74	5 9	2 2	6 6	15 30	- -	- -
E971	- poisoning by other solid and liquid substances.	M. 58 F. 62	- -	- -	- 1	1 -	11 11	23 30	4 -	3 5	4 5	12 10	- -	- -
E972	- poisoning by gases in domestic use	M. 2 F. 1	- -	- -	- -	- -	1 1	1 -	- -	- -	- -	- -	- -	- -
E973	- poisoning by other gases	M. 134 F. 35	- -	- -	8 1	2 -	24 4	54 18	5 1	8 4	18 6	15 1	- -	- -
E974	- by hanging and strangulation	M. 314 F. 70	- -	2 -	7 -	8 -	89 16	139 34	20 4	17 1	8 6	24 9	- -	- -
E975	- by submersion (drowning)	M. 71 F. 53	1 1	2 4	2 3	1 2	26 6	22 21	5 1	1 1	5 1	6 13	- -	- -
E976	- by firearms and explosives	M. 563 F. 50	5 1	- -	27 -	9 3	102 11	200 18	37 3	29 4	63 2	87 8	2 -	2 -
E977	- by cutting and piercing instruments	M. 34 F. 13	- -	- -	1 -	- -	7 3	14 3	3 1	2 1	1 1	6 4	- -	- -
E978	- by jumping from high place	M. 41 F. 18	1 -	1 -	3 1	1 -	8 7	14 6	- 1	- -	3 -	10 3	- -	- -
E979	- by other and unspecified means	M. 35 F. 24	1 -	- 1	1 -	2 -	4 3	22 13	1 1	- 2	2 -	2 4	- -	- -
	<b>Homicide and injury purposely inflicted by other persons (not in war) (E980-E985).</b>	M. 189 F. 127	- -	- 1	5 3	6 -	43 31	67 46	4 6	12 6	23 14	28 17	1 3	- -
E980	Nonaccidental poisoning by another person.	M. 4 F. 3	- -	- -	- -	- -	3 1	- -	- -	- -	1 2	- -	- -	- -
E981	Assault by firearm and explosive	M. 90 F. 44	- -	- -	2 1	3 -	20 8	29 17	1 4	7 6	14 4	13 4	1 -	- -
E982	Assault by cutting and piercing instruments.	M. 28 F. 22	- -	- -	2 1	1 -	1 7	16 8	1 -	2 -	1 -	4 6	- -	- -
E983	Assault by other means	M. 61 F. 57	- -	- 1	1 1	1 -	15 14	22 21	2 2	3 -	7 8	10 7	- 3	- -
E984	Injury by intervention of police	M. 6 F. 1	- -	- -	- -	1 -	4 1	- -	- -	- -	- -	1 -	- -	- -
E985	Execution	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	<b>Injury resulting from operations of war (E990-E999).</b>	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	<b>NXVII. Accidents, poisonings, and violence (Classification according to nature of injury).</b>	M. 9,759 F. 4,002	203 73	67 30	447 153	326 118	2,581 988	3,195 1,442	469 206	504 205	762 267	1,157 503	16 6	32 11
	<b>Fracture of skull, spine, and trunk (N800-N809).</b>	M. 2,730 F. 966	44 17	10 8	115 37	94 39	916 322	831 307	105 46	122 30	173 46	312 113	3 -	5 1
N800	Fracture of vault of skull	M. 29 F. 10	- -	- -	- 1	- -	9 1	15 3	2 -	2 2	1 1	- 2	- -	- -
N801	Fracture of base of skull	M. 199 F. 63	1 1	- -	8 1	5 1	63 17	73 34	9 3	8 1	17 3	13 2	- -	2 -
N802	Fracture of face bones	M. 36 F. 11	- -	- -	- -	- 1	9 3	22 4	- 2	1 -	1 1	3 -	- -	- -
N803	Other and unqualified skull fractures	M. 1,315 F. 401	21 6	6 3	58 16	56 23	484 169	344 102	43 15	61 11	91 16	147 40	1 -	3 -
N804	Multiple fractures involving skull or face with other bones.	M. 691 F. 252	7 3	- 1	24 8	18 8	240 81	240 89	19 6	18 5	28 8	96 43	1 -	- -
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion.	M. 210 F. 79	7 2	2 3	18 6	5 3	61 22	52 21	13 5	18 6	23 7	11 3	- -	- 1
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion.	M. 80 F. 27	6 1	- -	2 -	2 2	4 1	31 7	6 3	7 -	5 2	16 11	1 -	- -
N807	Fracture of rib (s) sternum and larynx	M. 41 F. 27	- -	2 -	2 4	- 1	12 7	11 5	6 3	- 3	4 3	4 1	- -	- -
N808	Fracture of pelvis	M. 37 F. 35	1 2	- 1	- 1	3 -	7 7	10 13	2 4	2 1	2 2	10 4	- -	- -
N809	Multiple, and ill-defined fractures of trunk	M. 92 F. 61	1 2	- -	3 -	5 -	27 14	33 29	5 5	5 1	1 3	12 7	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
-	-	-	10	82	125	111	114	114	135	134	129	133	89	74	39	29	22	12	1	M.
-	-	-	2	14	32	39	46	46	77	55	51	46	28	25	12	10	4	1	-	F.
-	-	-	-	5	7	11	10	13	11	10	5	11	8	6	2	2	-	-	-	M. E970
-	-	-	-	4	11	13	15	20	32	13	15	14	7	12	3	2	1	-	-	F.
-	-	-	-	2	6	4	8	3	11	5	5	6	2	5	-	1	-	-	-	M. E971
-	-	-	-	-	1	4	4	6	7	12	11	5	8	2	1	-	1	-	-	F.
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	M. E972
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F.
-	-	-	-	4	16	9	15	16	15	18	14	12	7	5	1	1	1	-	-	M. E973
-	-	-	-	1	2	3	6	5	6	4	1	3	2	1	-	-	1	-	-	F.
-	-	-	-	8	20	23	19	25	27	28	37	31	20	24	7	13	8	1	-	M. E974
-	-	-	1	2	7	5	7	3	7	8	9	9	5	4	2	1	-	-	-	F.
-	-	-	1	1	5	3	4	5	9	7	6	8	8	6	4	-	1	2	1	M. E975
-	-	-	-	1	5	1	1	2	8	7	5	7	3	4	4	3	1	1	-	F.
-	-	-	1	45	56	54	52	39	55	53	48	57	36	21	20	11	9	6	-	M. E976
-	-	-	1	5	4	9	8	6	8	5	4	-	-	-	-	-	-	-	-	F.
-	-	-	-	2	-	-	1	7	3	4	4	2	4	3	1	-	1	2	-	M. E977
-	-	-	-	1	-	1	2	2	2	-	1	4	-	-	-	-	-	-	-	F.
-	-	-	-	3	5	2	3	3	2	5	3	3	2	4	3	-	2	1	-	M. E978
-	-	-	-	1	1	1	1	-	3	2	3	3	1	-	1	-	-	-	-	F.
-	-	-	-	2	5	4	2	3	2	3	7	3	2	-	1	1	-	-	-	M. E979
-	-	-	-	1	1	2	2	2	4	4	2	1	1	2	1	2	-	-	-	F.
6	9	8	1	9	22	20	16	18	22	17	12	6	5	7	6	3	1	1	-	M.
7	10	5	7	11	10	15	12	9	18	6	7	6	-	2	1	1	-	-	-	F.
1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. E980
-	4	7	1	4	10	13	8	9	12	7	4	2	2	3	3	1	-	-	-	F.
-	1	2	3	6	5	4	4	4	9	2	3	3	1	1	-	-	-	-	-	M. E981
-	-	-	-	3	5	3	3	3	2	3	2	2	2	-	-	-	-	-	-	F.
2	1	-	-	1	-	1	5	2	3	-	2	5	-	-	-	-	-	-	-	M. E982
5	4	-	-	2	6	2	4	5	8	6	6	2	-	4	3	2	1	1	-	F.
5	7	2	3	4	5	9	3	3	6	4	2	1	-	1	1	1	-	-	-	M. E983
-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	M. E984
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E985
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
250	421	452	370	974	1,195	672	610	587	671	586	564	510	418	395	297	263	259	258	7	M.
205	283	243	162	279	227	171	157	167	214	206	209	208	149	164	144	176	250	386	2	F.
15	107	138	110	351	427	220	149	164	170	147	154	128	113	115	83	58	44	37	-	M.
17	77	88	70	125	79	51	29	38	44	44	59	41	47	44	30	24	37	22	-	F.
2	1	1	-	5	2	1	1	2	1	-	4	4	1	-	1	1	2	-	-	M. N800
-	1	1	3	-	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	F.
3	14	7	9	36	45	17	4	12	8	8	7	8	5	10	2	1	3	-	-	M. N801
1	4	4	5	6	4	5	2	4	5	4	3	7	3	4	1	1	-	-	-	F.
-	1	3	1	5	4	-	5	4	1	3	7	-	-	-	2	-	-	-	-	M. N802
-	1	-	-	2	3	1	1	-	-	-	1	-	-	-	-	-	1	1	-	F.
5	65	73	59	167	217	115	80	71	78	77	75	64	42	52	31	22	12	10	-	M. N803
9	52	47	24	51	34	27	9	14	13	22	24	14	16	20	11	3	7	4	-	F.
4	17	35	25	98	106	58	38	48	54	33	34	24	38	21	20	18	14	6	-	M. N804
2	13	23	25	40	22	14	10	12	7	9	14	11	17	9	8	4	10	2	-	F.
1	5	14	8	20	34	18	13	14	9	12	10	6	13	10	9	5	5	4	-	M. N805
3	3	6	5	12	8	-	5	2	6	3	6	4	3	5	1	5	1	1	-	F.
-	1	2	4	6	11	4	4	4	7	6	5	9	4	5	4	3	1	-	-	M. N806
1	2	-	1	6	3	1	1	-	2	1	3	1	1	1	1	1	-	1	-	F.
-	1	-	-	1	4	-	1	2	3	1	6	4	6	2	1	2	2	5	-	M. N807
-	-	-	1	2	-	-	-	3	5	-	2	-	4	1	1	2	2	4	-	F.
-	-	-	-	2	1	2	-	1	1	2	3	2	2	4	4	2	2	8	-	M. N808
-	-	2	-	2	-	1	-	1	1	-	1	-	1	3	3	3	9	8	-	F.
-	2	3	4	11	3	5	3	6	8	5	3	6	2	11	9	4	3	4	-	M. N809
1	1	5	6	4	3	2	1	2	4	3	5	4	2	1	4	5	7	1	-	F.





Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.
	<b>Head injury (excluding skull fracture) (N850-N856).</b>	<b>M. 1,077</b> <b>F. 317</b>	<b>14</b> <b>3</b>	<b>3</b> <b>3</b>	<b>51</b> <b>13</b>	<b>34</b> <b>15</b>	<b>244</b> <b>77</b>	<b>328</b> <b>112</b>	<b>61</b> <b>13</b>	<b>73</b> <b>23</b>	<b>127</b> <b>27</b>	<b>135</b> <b>27</b>	<b>5</b> <b>4</b>	
N850	Open wound of scalp .....	M. 16 F. 7	- -	- -	- -	- -	1 -	12 4	1 -	- -	1 2	1 1	- -	
N851	Contusion and haematoma of scalp .....	M. 11 F. 2	- -	- -	1 -	- -	4 1	2 -	- -	- -	- -	4 1	- -	
N852	Concussion .....	M. 47 F. 6	- -	- -	2 -	2 1	10 2	12 2	- -	1 -	6 -	14 1	- -	
N853	Cerebral laceration and contusion .....	M. 397 F. 93	2 1	- 1	13 3	2 3	71 17	106 32	29 8	43 13	51 4	78 11	2 -	
N854	Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion).	M. 121 F. 66	3 -	1 -	1 1	4 2	17 5	49 39	9 1	10 3	10 5	17 10	- -	
N855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion).	M. 83 F. 27	2 -	- 2	9 1	- 2	24 7	16 8	3 2	6 -	9 1	14 3	- 1	
N856	Head injury of other and unspecified nature	M. 402 F. 116	7 2	2 -	25 8	26 7	117 45	131 27	19 2	13 7	50 15	7 -	3 3	
	<b>Internal injury of chest, abdomen, and pelvis (N860-N869).</b>	<b>M. 2,011</b> <b>F. 574</b>	<b>37</b> <b>10</b>	<b>12</b> <b>1</b>	<b>89</b> <b>14</b>	<b>80</b> <b>17</b>	<b>456</b> <b>125</b>	<b>693</b> <b>197</b>	<b>99</b> <b>27</b>	<b>133</b> <b>48</b>	<b>187</b> <b>46</b>	<b>214</b> <b>87</b>	<b>4</b> <b>-</b>	
N860	Traumatic pneumothorax and haemothorax	M. 86 F. 27	4 1	- -	1 -	- -	42 17	26 2	- 1	5 2	4 3	4 1	- -	
N861	Injury to heart and lung .....	M. 353 F. 91	7 4	3 -	19 2	10 1	53 12	156 31	15 8	19 8	18 6	52 18	1 -	
N862	Injury to other and unspecified intrathoracic organs.	M. 472 F. 110	5 -	3 -	19 1	12 4	106 28	145 36	38 5	39 14	58 5	46 17	- -	
N863	Injury to gastro-intestinal tract .....	M. 48 F. 14	- -	- -	2 -	4 -	12 -	11 6	- 1	5 3	8 1	5 3	1 -	
N864	Injury to liver .....	M. 81 F. 22	3 -	2 -	2 1	4 1	13 4	23 3	5 1	4 -	12 7	13 5	- -	
N865	Injury to spleen .....	M. 21 F. 20	1 1	- -	- 2	2 -	4 4	6 8	- -	1 1	4 2	3 2	- -	
N866	Injury to kidney .....	M. 9 F. 3	- -	- -	1 -	- -	2 1	1 1	2 -	- -	1 -	2 1	- -	
N867	Injury to pelvic organs .....	M. 8 F. 3	- -	- -	2 -	- -	- 2	4 1	- -	1 -	- -	1 -	- -	
N868	Injury to other and unspecified intra-abdominal organs.	M. 149 F. 50	6 1	- -	2 1	6 -	46 16	60 16	10 4	1 -	4 -	13 11	1 -	
N869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs.	M. 784 F. 234	11 3	4 1	41 7	42 11	178 41	261 93	29 7	58 20	78 22	75 29	1 -	
	<b>Laceration and open wound of face, neck, and trunk (N870-N879).</b>	<b>M. 98</b> <b>F. 22</b>	<b>1</b> <b>-</b>	<b>1</b> <b>-</b>	<b>4</b> <b>-</b>	<b>5</b> <b>1</b>	<b>20</b> <b>5</b>	<b>45</b> <b>12</b>	<b>7</b> <b>1</b>	<b>6</b> <b>1</b>	<b>5</b> <b>2</b>	<b>4</b> <b>-</b>	<b>-</b> <b>-</b>	
N870	Open wound of eye and orbit .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
N871	Enucleation of eye .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
N872	Open wound of ear .....	M. - F. 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	
N873	Other and unspecified laceration of face....	M. 9 F. 7	- -	- -	- -	- -	1 2	6 3	- 1	- -	2 1	- -	- -	
N874	Open wound of neck .....	M. 70 F. 11	1 -	- -	4 -	4 1	15 3	28 6	6 -	6 1	2 -	4 -	- -	
N875	Open wound of chest .....	M. 8 F. 2	- -	- -	- -	- -	1 -	6 2	- -	- -	1 -	- -	- -	
N876	Open wound of back .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
N877	Open wound of buttock .....	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
N878	Open wound of genital organs, including traumatic amputation.	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	
N879	Multiple and unspecified open wounds of face, neck, and trunk.	M. 11 F. -	- -	1 -	- -	1 -	3 -	5 -	1 -	- -	- -	- -	- -	























